



Copper busbar
Copper plate
Copper rod

Terminal busbar
Iron busbar
Hardware accessories

WY | WENZHOU DONGYAO
TRADING CO., LTD

COMPANY PROFILE

Wenzhou Dongyao Trading Co., Ltd. is a comprehensive enterprise focusing on the R&D, production, sales and customized services of copper and aluminum conductor materials. Having been deeply engaged in the electrical material industry for many years, it has grown into a powerful and well-reputed supplier of copper and aluminum material solutions in the industry.

The company's core businesses cover the full-range sales of copper, aluminum and iron materials, as well as the customized production of products such as copper fittings, busbars and earthing bars. Its product lineup includes a complete series of electrical conductor materials such as pure copper bars, brass bars, aluminum bars, copper-aluminum composite bars, non-standard copper fittings, wiring terminals, bus bars and earthing copper bars. These products can fully meet the diversified and personalized demands of various industries including power transmission and distribution, new energy, electrical equipment manufacturing, industrial automation, building electromechanics and rail transit. It supports customized production based on customers' drawings and samples, and can quickly respond to product parameter and specification requirements for different application scenarios.


Adhering to the core business philosophy of "survive by quality and seek cooperation with integrity", the company upholds the enterprise spirit of sincerity, pragmatism, innovation, progress and pursuit of perfection. With an open mind of embracing all talents and resources, it attracts outstanding professionals in the industry and integrates high-quality resources from the upstream and downstream industrial chains. It has established long-term and stable strategic cooperative relations with numerous leading domestic raw material suppliers, equipment manufacturers and end customers, achieving coordinated development and mutual benefits for all parties along the industrial chain.



APPLICATION SCENARIO



PRODUCTION
MANUFACTURING



QUALITY GUARANTEE

Details determine quality, and quality builds a brand. Ensuring quality is being responsible to customers and users. We regard quality as the primary vitality and the fundamental point for survival and development. Providing high-quality products is being responsible for the lives of customers and for the construction of cities. This is the specific characteristic of Huji's character. Even the details are not overlooked, and this is precisely the secret weapon that lays the foundation for the brand's brilliance.





PURPLE
COPPER BUSBAR

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper busbar	10mm*1mm*1m	Purple copper	10	1	1
	12mm*1mm-1m		12	1	1
	15mm*1mm-1m		15	1	1
	20mm*1mm-1m		20	1	1
	25mm*1mm-1m		25	1	1
	30mm*1mm-1m		30	1	1
	40mm*1mm-1m		40	1	1
	50mm*1mm-1m		50	1	1
	T2 10mm*1.5mm-1m		10	1.5	1
	T2 12mm*1.5mm-1m		12	1.5	1
	T2 15mm*1.5mm-1m		15	1.5	1
	T2 20mm*1.5mm-1m		20	1.5	1
	25mm*1.5mm-1m		25	1.5	1
	30mm*1.5mm-1m		30	1.5	1
	5mm*2mm-1m		5	2	1
	8mm*2mm-1m		8	2	1
	10mm*2mm-1m		10	2	1
	12mm*2mm-1m		12	2	1
	15mm*2mm-1m		15	2	1
	20mm*2mm-1m		20	2	1
	25mm*2mm-1m		25	2	1
	30mm*2mm-1m		30	2	1
	5mm*3mm-1m		5	3	1
	7mm*3mm-1m		7	3	1
	10mm*3mm-1m		10	3	1
	15mm*3mm-1m		15	3	1
	20mm*3mm-1m		20	3	1
	25mm*3mm-1m		25	3	1
	30mm*3mm-1m		30	3	1
	40mm*3mm-1m		40	3	1
	T2 50mm*3mm-1m		50	3	1
	15mm*4mm-1m		15	4	1
	20mm*4mm-1m		20	4	1
	25mm*4mm-1m		25	4	1
	30mm*4mm-1m		30	4	1
	40mm*4mm-1m		40	4	1
	50mm*4mm-1m		50	4	1
	T2 15mm*5mm-1m		15	5	1
	20mm*5mm-1m		20	5	1

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper busbar	25mm*5mm-1m	Purple copper	25	5	1
	30mm*5mm-1m		30	5	1
	40mm*5mm-1m		40	5	1
	50mm*5mm-1m		50	5	1
	60mm*5mm-1m		60	5	1
	100mm*5mm-1m		100	5	1
	20mm*6mm-1m		20	6	1
	25mm*6mm-1m		25	6	1
	30mm*6mm-1m		30	6	1
	40mm*6mm-1m		40	6	1
	50mm*6mm-1m		50	6	1
	60mm*6mm-1m		60	6	1
	80mm*6mm-1m		80	6	1
	100mm*6mm-1m		100	6	1
	20mm*8mm-1m		20	8	1
	25mm*8mm-1m		25	8	1
	30mm*8mm-1m		30	8	1
	40mm*8mm-1m		40	8	1
	50mm*8mm-1m		50	8	1
	60mm*8mm-1m		60	8	1
	80mm*8mm-1m		80	8	1
	100mm*8mm-1m		100	8	1
	120mm*8mm-1m		120	8	1
	T2 10mm*10mm-1m		10	10	1
	T2 15mm*10mm-1m		15	10	1
	T2 20mm*10mm-1m		20	10	1
	T2 25mm*10mm-1m		25	10	1
	30mm*10mm-1m		30	10	1
	40mm*10mm-1m		40	10	1
	50mm*10mm-1m		50	10	1
	60mm*10mm-1m		60	10	1
	80mm*10mm-1m		80	10	1
	30mm*12mm-1m		30	12	1
	40mm*12mm-1m		40	12	1
	50mm*12mm-1m		50	12	1
	60mm*12mm-1m		60	12	1
	80mm*12mm-1m		80	12	1
	10mm*1mm-0.5m		10	1	0.5
	12mm*1mm-0.5m		12	1	0.5
	15mm*1mm-0.5m		15	1	0.5
	20mm*1mm-0.5m		20	1	0.5
	25mm*1mm-0.5m		25	1	0.5
	30mm*1mm-0.5m		30	1	0.5
	40mm*1mm-0.5m		40	1	0.5
	50mm*1mm-0.5m		50	1	0.5
	T2 10mm*1.5mm-0.5m		10	1.5	0.5
	T2 12mm*1.5mm-0.5m		12	1.5	0.5
	T2 15mm*1.5mm-0.5m		15	1.5	0.5
	T2 20mm*1.5mm-0.5m		20	1.5	0.5
	25mm*1.5mm-0.5m		25	1.5	0.5
	30mm*1.5mm-0.5m		30	1.5	0.5
	T2 10mm*2mm-0.5m		10	2	0.5
	T2 12mm*2mm-0.5m		12	2	0.5
	T2 15mm*2mm-0.5m		15	2	0.5

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper busbar	T2 20mm*2mm-0.5m	Purple copper	20	2	0.5
	T2 25mm*2mm-0.5m		25	2	0.5
	T2 30mm*2mm-0.5m		30	2	0.5
	T2 10mm*3mm-0.5m		10	3	0.5
	15mm*3mm-0.5m		15	3	0.5
	20mm*3mm-0.5m		20	3	0.5
	25mm*3mm-0.5m		25	3	0.5
	30mm*3mm-0.5m		30	3	0.5
	40mm*3mm-0.5m		40	3	0.5
	T2 50mm*3mm-0.5m		50	3	0.5
	15mm*4mm-0.5m		15	4	0.5
	20mm*4mm-0.5m		20	4	0.5
	25mm*4mm-0.5m		25	4	0.5
	30mm*4mm-0.5m		30	4	0.5
	40mm*4mm-0.5m		40	4	0.5
	50mm*4mm-0.5m		50	4	0.5
	T2 15mm*5mm-0.5m		15	5	0.5
	20mm*5mm-0.5m		20	5	0.5
	25mm*5mm-0.5m		25	5	0.5
	30mm*5mm-0.5m		30	5	0.5
	40mm*5mm-0.5m		40	5	0.5
	50mm*5mm-0.5m		50	5	0.5
	60mm*5mm-0.5m		60	5	0.5
	100mm*5mm-0.5m		100	5	0.5
	20mm*6mm-0.5m		20	6	0.5
	25mm*6mm-0.5m		25	6	0.5
	30mm*6mm-0.5m		30	6	0.5
	40mm*6mm-0.5m		40	6	0.5
	50mm*6mm-0.5m		50	6	0.5
	60mm*6mm-0.5m		60	6	0.5
	80mm*6mm-0.5m		80	6	0.5
	100mm*6mm-0.5m		100	6	0.5
	20mm*8mm-0.5m		20	8	0.5
	25mm*8mm-0.5m		25	8	0.5
	30mm*8mm-0.5m		30	8	0.5
	40mm*8mm-0.5m		40	8	0.5
	50mm*8mm-0.5m		50	8	0.5
	60mm*8mm-0.5m		60	8	0.5
	80mm*8mm-0.5m		80	8	0.5
	100mm*8mm-0.5m		100	8	0.5
	120mm*8mm-0.5m		120	8	0.5
	T2 10mm*10mm-0.5m		10	10	0.5
	T2 15mm*10mm-0.5m		15	10	0.5
	T2 20mm*10mm-0.5m		20	10	0.5
	T2 25mm*10mm-0.5m		25	10	0.5
	30mm*10mm-0.5m		30	10	0.5
	40mm*10mm-0.5m		40	10	0.5
	50mm*10mm-0.5m		50	10	0.5
	60mm*10mm-0.5m		60	10	0.5
	80mm*10mm-0.5m		80	10	0.5
	10*1mm*200mm		10	1	0.2
	10*1.5mm*200mm		10	1.5	0.2
	10*2mm*200mm		10	2	0.2
	10*3mm*200mm		10	3	0.2

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper busbar	10*4mm*200mm	Purple copper	10	4	0.2
	12*1mm*200mm		12	1	0.2
	12*1.5mm*200mm		12	1.5	0.2
	12*2mm*200mm		12	2	0.2
	15*1mm*200mm		15	1	0.2
	15*1.5mm*200mm		15	1.5	0.2
	15*2mm*200mm		15	2	0.2
	15*3mm*200mm		15	3	0.2
	15*4mm*200mm		15	4	0.2
	20*1mm*200mm		20	1	0.2
	20*1.5mm*200mm		20	1.5	0.2
	20*2mm*200mm		20	2	0.2
	20*3mm*200mm		20	3	0.2
	20*4mm*200mm		20	4	0.2
	25*1mm*200mm		25	1	0.2
	25*2mm*200mm		25	2	0.2
	25*3mm*200mm		25	3	0.2
	25*4mm*200mm		25	4	0.2
	30*1mm*200mm		30	1	0.2
	30*2mm*200mm		30	2	0.2
	30*3mm*200mm		30	3	0.2
	30*4mm*200mm		30	4	0.2
	40*1mm*200mm		40	1	0.2
	40*3mm*200mm		40	3	0.2
	40*4mm*200mm		40	4	0.2
	10*1mm*300mm		10	1	0.3
	10*1.5mm*300mm		10	1.5	0.3
	10*2mm*300mm		10	2	0.3
	10*3mm*300mm		10	3	0.3
	10*4mm*300mm		10	4	0.3
	12*1mm*300mm		12	1	0.3
	12*1.5mm*300mm		12	1.5	0.3
	12*2mm*300mm		12	2	0.3
	15*1mm*300mm		15	1	0.3
	15*1.5mm*300mm		15	1.5	0.3
	15*2mm*300mm		15	2	0.3
	15*3mm*300mm		15	3	0.3
	15*4mm*300mm		15	4	0.3
	20*1mm*300mm		20	1	0.3
	20*1.5mm*300mm		20	1.5	0.3
	20*2mm*300mm		20	2	0.3
	20*3mm*300mm		20	3	0.3
	20*4mm*300mm		20	4	0.3
	25*1mm*300mm		25	1	0.3
	25*2mm*300mm		25	2	0.3
	25*3mm*300mm		25	3	0.3
	25*4mm*300mm		25	4	0.3
	30*1mm*300mm		30	1	0.3
	30*2mm*300mm		30	2	0.3
	30*3mm*300mm		30	3	0.3
	30*4mm*300mm		30	4	0.3
	40*1mm*300mm		40	1	0.3
	40*3mm*300mm		40	3	0.3
	40*4mm*300mm		40	4	0.3



TIN-PLATED
COPPER BUSBAR

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Tin-plated copper busbar	10mm*1mm-1m	Tin-plated purple copper	10	1	1
	12mm*1mm-1m		12	1	1
	15mm*1mm-1m		15	1	1
	20mm*1mm-1m		20	1	1
	25mm*1mm-1m		25	1	1
	30mm*1mm-1m		30	1	1
	40mm*1mm-1m		40	1	1
	50mm*1mm-1m		50	1	1
	10mm*1.5mm-1m		10	1.5	1
	12mm*1.5mm-1m		12	1.5	1
	15mm*1.5mm-1m		15	1.5	1
	20mm*1.5mm-1m		20	1.5	1
	25mm*1.5mm-1m		25	1.5	1
	30mm*1.5mm-1m		30	1.5	1
	10mm*2mm-1m		10	2	1
	12mm*2mm-1m		12	2	1
	15mm*2mm-1m		15	2	1
	20mm*2mm-1m		20	2	1
	25mm*2mm-1m		25	2	1
	30mm*2mm-1m		30	2	1
	10mm*3mm-1m		10	3	1
	15mm*3mm-1m		15	3	1
	20mm*3mm-1m		20	3	1
	25mm*3mm-1m		25	3	1
	30mm*3mm-1m		30	3	1
	40mm*3mm-1m		40	3	1
	50mm*3mm-1m		50	3	1
	15mm*4mm-1m		15	4	1
	20mm*4mm-1m		20	4	1
	25mm*4mm-1m		25	4	1
	30mm*4mm-1m		30	4	1
	40mm*4mm-1m		40	4	1
	50mm*4mm-1m		50	4	1
	15mm*5mm-1m		15	5	1
	20mm*5mm-1m		20	5	1
	25mm*5mm-1m		25	5	1
	30mm*5mm-1m		30	5	1
	40mm*5mm-1m		40	5	1
	50mm*5mm-1m		50	5	1

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Tin-plated copper busbar	60mm*5mm-1m	Tin-plated purple copper	60	5	1
	100mm*5mm-1m		100	5	1
	20mm*6mm-1m		20	6	1
	25mm*6mm-1m		25	6	1
	30mm*6mm-1m		30	6	1
	40mm*6mm-1m		40	6	1
	50mm*6mm-1m		50	6	1
	60mm*6mm-1m		60	6	1
	80mm*6mm-1m		80	6	1
	100mm*6mm-1m		100	6	1
	20mm*8mm-1m		20	8	1
	25mm*8mm-1m		25	8	1
	30mm*8mm-1m		30	8	1
	40mm*8mm-1m		40	8	1
	50mm*8mm-1m		50	8	1
	60mm*8mm-1m		60	8	1
	80mm*8mm-1m		80	8	1
	100mm*8mm-1m		100	8	1
	120mm*8mm-1m		120	8	1
	10mm*10mm-1m		10	10	1
	15mm*10mm-1m		15	10	1
	20mm*10mm-1m		20	10	1
	25mm*10mm-1m		25	10	1
	30mm*10mm-1m		30	10	1
	40mm*10mm-1m		40	10	1
	50mm*10mm-1m		50	10	1
	60mm*10mm-1m		60	10	1
	80mm*10mm-1m		80	10	1



BRASS
CIRCULAR PLATE

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass circular plate	0.5*10mm-4 pieces	Brass	10	0.5	0.04
	0.5*15mm-2 pieces		15	0.5	0.03
	0.5*20mm-2 pieces		20	0.5	0.04
	0.5*25mm-2 pieces		25	0.5	0.05
	0.5*30mm-2 pieces		30	0.5	0.06
	0.5*35mm-2 pieces		35	0.5	0.07
	0.5*40mm-2 pieces		40	0.5	0.08
	0.5*45mm-2 pieces		45	0.5	0.09

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass circular plate	0.5*50mm-2 pieces	Brass	50	0.5	0.1
	0.5*55mm-2 pieces		55	0.5	0.11
	0.5*60mm-2 pieces		60	0.5	0.12
	0.5*65mm-2 pieces		65	0.5	0.13
	0.5*70mm-2 pieces		70	0.5	0.14
	0.5*75mm-2 pieces		75	0.5	0.15
	0.5*80mm-2 pieces		80	0.5	0.16
	0.5*85mm-2 pieces		85	0.5	0.17
	0.5*90mm-2 pieces		90	0.5	0.18
	0.5*100mm-2 pieces		100	0.5	0.2
	0.5*110mm-1piece		110	0.5	0.11
	0.5*120mm-1piece		120	0.5	0.12
	0.5*130mm-1piece		130	0.5	0.13
	0.5*140mm-1piece		140	0.5	0.14
	0.5*150mm-1piece		150	0.5	0.15
	0.5*160mm-1piece		160	0.5	0.16
	0.5*180mm-1piece		180	0.5	0.18
	0.5*200mm-1piece		200	0.5	0.2
	0.8*10mm-2pieces		10	0.8	0.02
	0.8*15mm-2pieces		15	0.8	0.03
	0.8*20mm-2pieces		20	0.8	0.04
	0.8*25mm-2pieces		25	0.8	0.05
	0.8*30mm-2pieces		30	0.8	0.06
	0.8*35mm-2pieces		35	0.8	0.07
	0.8*40mm-2pieces		40	0.8	0.08
	0.8*45mm-2pieces		45	0.8	0.09
	0.8*50mm-2pieces		50	0.8	0.1
	0.8*55mm-2pieces		55	0.8	0.11
	0.8*60mm-2pieces		60	0.8	0.12
	0.8*65mm-2pieces		65	0.8	0.13
	0.8*70mm-2pieces		70	0.8	0.14
	0.8*80mm-2pieces		80	0.8	0.16
	0.8*85mm-2pieces		85	0.8	0.17
	0.8*90mm-1piece		90	0.8	0.09
	0.8*100mm-1piece		100	0.8	0.1
	0.8*110mm-1piece		110	0.8	0.11
	0.8*120mm-1piece		120	0.8	0.12
	0.8*130mm-1piece		130	0.8	0.13
	0.8*140mm-1piece		140	0.8	0.14
	0.8*150mm-1piece		150	0.8	0.15
	0.8*160mm-1piece		160	0.8	0.16
	0.8*180mm-1piece		180	0.8	0.18
	0.8*200mm-1piece		200	0.8	0.2
	1*10mm-2pieces		10	1	0.02
	1*15mm-2pieces		15	1	0.03
	1*20mm-2pieces		20	1	0.04
	1*25mm-2pieces		25	1	0.05
	1*30mm-2pieces		30	1	0.06
	1*35mm-2pieces		35	1	0.07
	1*40mm-2pieces		40	1	0.08
	1*45mm-2pieces		45	1	0.09
	1*50mm-2pieces		50	1	0.1
	1*55mm-2pieces		55	1	0.11
	1*60mm-2pieces		60	1	0.12

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass circular plate	1*65mm-2pieces	Brass	65	1	0.13
	1*70mm-2pieces		70	1	0.14
	1*75mm-2pieces		75	1	0.15
	1*80mm-2pieces		80	1	0.16
	1*85mm-2pieces		85	1	0.17
	1*90mm-1piece		90	1	0.09
	1*100mm-1piece		100	1	0.1
	1*110mm-1piece		110	1	0.11
	1*120mm-1piece		120	1	0.12
	1*130mm-1piece		130	1	0.13
	1*140mm-1piece		140	1	0.14
	1*150mm-1piece		150	1	0.15
	1*160mm-1piece		160	1	0.16
	1*180mm-1piece		180	1	0.18
	1*200mm-1piece		200	1	0.2
	1.2*10mm-2pieces		10	1.2	0.02
	1.2*20mm-2pieces		20	1.2	0.04
	1.2*30mm-2pieces		30	1.2	0.06
	1.2*50mm-2pieces		50	1.2	0.1
	1.2*60mm-2pieces		60	1.2	0.12
	1.2*80mm-2pieces		80	1.2	0.16
	1.2*100mm-1piece		100	1.2	0.1
	1.2*150mm-1piece		150	1.2	0.15
	1.2*200mm-1piece		200	1.2	0.2
	1.5*10mm-2pieces		10	1.5	0.02
	1.5*15mm-2pieces		15	1.5	0.03
	1.5*20mm-2pieces		20	1.5	0.04
	1.5*25mm-2pieces		25	1.5	0.05
	1.5*30mm-2pieces		30	1.5	0.06
	1.5*35mm-2pieces		35	1.5	0.07
	1.5*40mm-2pieces		40	1.5	0.08
	1.5*45mm-2pieces		45	1.5	0.09
	1.5*50mm-2pieces		50	1.5	0.1
	1.5*55mm-2pieces		55	1.5	0.11
	1.5*60mm-2pieces		60	1.5	0.12
	1.5*65mm-2pieces		65	1.5	0.13
	1.5*70mm-2pieces		70	1.5	0.14
	1.5*75mm-2pieces		75	1.5	0.15
	1.5*80mm-2pieces		80	1.5	0.16
	1.5*85mm-1piece		85	1.5	0.085
	1.5*90mm-1piece		90	1.5	0.09
	1.5*100mm-1piece		100	1.5	0.1
	1.5*110mm-1piece		110	1.5	0.11
	1.5*120mm-1piece		120	1.5	0.12
	1.5*130mm-1piece		130	1.5	0.13
	1.5*140mm-1piece		140	1.5	0.14
	1.5*150mm-1piece		150	1.5	0.15
	1.5*160mm-1piece		160	1.5	0.16
	1.5*180mm-1piece		180	1.5	0.18
	1.5*200mm-1piece		200	1.5	0.2
	2*10mm-2pieces		10	2	0.02
	2*15mm-2pieces		15	2	0.03
	2*20mm-2pieces		20	2	0.04
	2*25mm-2pieces		25	2	0.05

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass circular plate	2*30mm-2pieces	Brass	30	2	0.06
	2*35mm-2pieces		35	2	0.07
	2*40mm-2pieces		40	2	0.08
	2*45mm-2pieces		45	2	0.09
	2*50mm-2pieces		50	2	0.1
	2*55mm-1piece		55	2	0.055
	2*60mm-1piece		60	2	0.06
	2*65mm-1piece		65	2	0.065
	2*70mm-1piece		70	2	0.07
	2*75mm-1piece		75	2	0.075
	2*80mm-1piece		80	2	0.08
	2*85mm-1piece		85	2	0.085
	2*90mm-1piece		90	2	0.09
	2*100mm-1piece		100	2	0.1
	2*110mm-1piece		110	2	0.11
	2*120mm-1piece		120	2	0.12
	2*130mm-1piece		13	2	0.13
	2*140mm-1piece		140	2	0.14
	2*150mm-1piece		150	2	0.15
	2*160mm-1piece		160	2	0.16
	2*180mm-1piece		180	2	0.18
	2*200mm-1piece		200	2	0.2
	3*10mm-2pieces		10	3	0.02
	3*15mm-2pieces		15	3	0.03
	3*20mm-2pieces		20	3	0.04
	3*25mm-2pieces		25	3	0.05
	3*30mm-2pieces		30	3	0.06
	3*35mm-2pieces		35	3	0.07
	3*40mm-2pieces		40	3	0.08
	3*45mm-2pieces		45	3	0.09
	3*50mm-2pieces		50	3	0.1
	3*55mm-1piece		55	3	0.055
	3*60mm-1piece		60	3	0.06
	3*65mm-1piece		65	3	0.065
	3*70mm-1piece		70	3	0.07
	3*75mm-1piece		75	3	0.075
	3*80mm-1piece		80	3	0.08
	3*90mm-1piece		90	3	0.09
	3*100mm-1piece		100	3	0.1
	3*110mm-1piece		110	3	0.11
	3*120mm-1piece		120	3	0.12
	3*130mm-1piece		130	3	0.13
	3*140mm-1piece		140	3	0.14
	3*150mm-1piece		150	3	0.15
	3*160mm-1piece		160	3	0.16
	3*180mm-1piece		180	3	0.18
	3*200mm-1piece		200	3	0.2



PURPLE COPPER CIRCULAR PLATE

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper circular plate	0.3*10mm-4 pieces	Purple copper	10	0.3	0.04
	0.3*15mm-2pieces		15	0.3	0.03
	0.3*20mm-2pieces		20	0.3	0.04
	0.3*25mm-2pieces		25	0.3	0.05
	0.3*30mm-2pieces		30	0.3	0.06
	0.3*35mm-2pieces		35	0.3	0.07
	0.3*40mm-2pieces		40	0.3	0.08
	0.3*45mm-2pieces		45	0.3	0.09
	0.3*50mm-2pieces		50	0.3	0.1
	0.3*55mm-2 pieces		55	0.3	0.11
	0.3*60mm-2 pieces		60	0.3	0.12
	0.3*65mm-2 pieces		65	0.3	0.13
	0.3*70mm-2 pieces		70	0.3	0.14
	0.3*75mm-2 pieces		75	0.3	0.15
	0.3*80mm-1 piece		80	0.3	0.08
	0.3*85mm-1 piece		85	0.3	0.085
	0.3*90mm-1 piece		90	0.3	0.09
	0.3*100mm-1 piece		100	0.3	0.1
	0.3*110mm-1 piece		110	0.3	0.11
	0.3*120mm-1 piece		120	0.3	0.12
	0.3*130mm-1 piece		130	0.3	0.13
	0.3*140mm-1 piece		140	0.3	0.14
	0.3*150mm-1 piece		150	0.3	0.15
	0.3*160mm-1 piece		160	0.3	0.16
	0.3*180mm-1 piece		180	0.3	0.18
	0.5*10mm-4 pieces		10	0.5	0.04
	0.5*15mm-2 pieces		15	0.5	0.03
	0.5*20mm-2 pieces		20	0.5	0.04
	0.5*25mm-2 pieces		25	0.5	0.05
	0.5*30mm-2 pieces		30	0.5	0.06
	0.5*35mm-2 pieces		35	0.5	0.07
	0.5*40mm-2 pieces		40	0.5	0.08
	0.5*45mm-2 pieces		45	0.5	0.09
	0.5*50mm-2 pieces		50	0.5	0.1
	0.5*55mm-2 pieces		55	0.5	0.11
	0.5*60mm-2 pieces		60	0.5	0.12
	0.5*65mm-2 pieces		65	0.5	0.13
	0.5*70mm-2 pieces		70	0.5	0.14
	0.5*75mm-1 piece		75	0.5	0.075

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper circular plate	0.5*80mm-1 piece	Purple copper	80	0.5	0.08
	0.5*85mm-1 piece		85	0.5	0.085
	0.5*90mm-1 piece		90	0.5	0.09
	0.5*100mm-1 piece		100	0.5	0.1
	0.5*110mm-1 piece		110	0.5	0.11
	0.5*120mm-1 piece		120	0.5	0.12
	0.5*130mm-1 piece		130	0.5	0.13
	0.5*140mm-1 piece		140	0.5	0.14
	0.5*150mm-1 piece		150	0.5	0.15
	0.5*160mm-1 piece		160	0.5	0.16
	0.5*180mm-1 piece		180	0.5	0.18
	0.5*200mm-1 piece		200	0.5	0.2
	0.5*250mm-1 piece		250	0.5	0.25
	0.5*300mm-1 piece		300	0.5	0.3
	0.8*10mm-4 pieces		10	0.8	0.04
	0.8*15mm-2 pieces		15	0.8	0.03
	0.8*20mm-2 pieces		20	0.8	0.04
	0.8*25mm-2 pieces		25	0.8	0.05
	0.8*30mm-2 pieces		30	0.8	0.06
	0.8*35mm-2 pieces		35	0.8	0.07
	0.8*40mm-2 pieces		40	0.8	0.08
	0.8*45mm-2 pieces		45	0.8	0.09
	0.8*50mm-2 pieces		50	0.8	0.1
	0.8*55mm-2 pieces		55	0.8	0.11
	0.8*60mm-2 pieces		60	0.8	0.12
	0.8*65mm-2 pieces		65	0.8	0.13
	0.8*70mm-1 piece		70	0.8	0.07
	0.8*75mm-1 piece		75	0.8	0.075
	0.8*80mm-1 piece		80	0.8	0.08
	0.8*85mm-1 piece		85	0.8	0.085
	0.8*90mm-1 piece		90	0.8	0.09
	0.8*100mm-1 piece		100	0.8	0.1
	0.8*110mm-1 piece		110	0.8	0.11
	0.8*120mm-1 piece		120	0.8	0.12
	0.8*130mm-1 piece		130	0.8	0.13
	0.8*140mm-1 piece		140	0.8	0.14
	0.8*150mm-1 piece		150	0.8	0.15
	0.8*160mm-1 piece		160	0.8	0.16
	0.8*180mm-1 piece		180	0.8	0.18
	0.8*200mm-1 piece		200	0.8	0.2
	0.8*250mm-1 piece		250	0.8	0.25
	0.8*300mm-1 piece		300	0.8	0.3
	1*10mm-4 pieces		10	1	0.04
	1*15mm-2 pieces		15	1	0.03
	1*20mm-2 pieces		20	1	0.04
	1*25mm-2 pieces		25	1	0.05
	1*30mm-2 pieces		30	1	0.06
	1*35mm-2 pieces		35	1	0.07
	1*40mm-2 pieces		40	1	0.08
	1*45mm-2 pieces		45	1	0.09
	1*50mm-2 pieces		50	1	0.1
	1*55mm-2 pieces		55	1	0.11
	1*60mm-1 piece		60	1	0.06
	1*65mm-1 piece		65	1	0.065

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper circular plate	1*70mm-1 piece	Purple copper	70	1	0.07
	1*75mm-1 piece		75	1	0.075
	1*80mm-1 piece		80	1	0.08
	1*85mm-1 piece		85	1	0.085
	1*90mm-1 piece		90	1	0.09
	1*100mm-1 piece		100	1	0.1
	1*110mm-1 piece		110	1	0.11
	1*120mm-1 piece		120	1	0.12
	1*130mm-1 piece		130	1	0.13
	1*140mm-1 piece		140	1	0.14
	1*150mm-1 piece		150	1	0.15
	1*160mm-1 piece		160	1	0.16
	1*180mm-1 piece		180	1	0.18
	1*200mm-1 piece		200	1	0.2
	1*250mm-1 piece		250	1	0.25
	1*300mm-1 piece		300	1	0.3
	1.2*10mm-4 pieces		10	1.2	0.04
	1.2*15mm-2 pieces		15	1.2	0.03
	1.2*20mm-2 pieces		20	1.2	0.04
	1.2*25mm-2 pieces		25	1.2	0.05
	1.2*30mm-2 pieces		30	1.2	0.06
	1.2*35mm-2 pieces		35	1.2	0.07
	1.2*40mm-2 pieces		40	1.2	0.08
	1.2*45mm-2 pieces		45	1.2	0.09
	1.2*50mm-2 pieces		50	1.2	0.1
	1.2*55mm-1 piece		55	1.2	0.055
	1.2*60mm-1 piece		60	1.2	0.06
	1.2*65mm-1 piece		65	1.2	0.065
	1.2*70mm-1 piece		70	1.2	0.07
	1.2*75mm-1 piece		75	1.2	0.075
	1.2*80mm-1 piece		80	1.2	0.08
	1.2*85mm-1 piece		85	1.2	0.085
	1.2*90mm-1 piece		90	1.2	0.09
	1.2*100mm-1 piece		100	1.2	0.1
	1.2*110mm-1 piece		110	1.2	0.11
	1.2*120mm-1 piece		120	1.2	0.12
	1.2*130mm-1 piece		130	1.2	0.13
	1.2*140mm-1 piece		140	1.2	0.14
	1.2*150mm-1 piece		150	1.2	0.15
	1.2*160mm-1 piece		160	1.2	0.16
	1.2*180mm-1 piece		180	1.2	0.18
	1.2*200mm-1 piece		200	1.2	0.2
	1.2*250mm-1 piece		250	1.2	0.25
	1.2*300mm-1 piece		300	1.2	0.3
	1.5*10mm-4 pieces		10	1.5	0.04
	1.5*15mm-2 pieces		15	1.5	0.03
	1.5*20mm-2 pieces		20	1.5	0.04
	1.5*25mm-2 pieces		25	1.5	0.05
	1.5*30mm-2 pieces		30	1.5	0.06
	1.5*35mm-2 pieces		35	1.5	0.07
	1.5*40mm-2 pieces		40	1.5	0.08
	1.5*45mm-2 pieces		45	1.5	0.09
	1.5*50mm-2 pieces		50	1.5	0.1
	1.5*55mm-1 piece		55	1.5	0.055

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper circular plate	1.5*60mm-1 piece	Purple copper	60	1.5	0.06
	1.5*65mm-1 piece		65	1.5	0.065
	1.5*70mm-1 piece		70	1.5	0.07
	1.5*75mm-1 piece		75	1.5	0.075
	1.5*80mm-1 piece		80	1.5	0.08
	1.5*85mm-1 piece		85	1.5	0.085
	1.5*90mm-1 piece		90	1.5	0.09
	1.5*100mm-1 piece		100	1.5	0.1
	1.5*110mm-1 piece		110	1.5	0.11
	1.5*120mm-1 piece		120	1.5	0.12
	1.5*130mm-1 piece		130	1.5	0.13
	1.5*140mm-1 piece		140	1.5	0.14
	1.5*150mm-1 piece		150	1.5	0.15
	1.5*160mm-1 piece		160	1.5	0.16
	1.5*180mm-1 piece		180	1.5	0.18
	1.5*200mm-1 piece		200	1.5	0.2
	1.5*250mm-1 piece		250	1.5	0.25
	1.5*300mm-1 piece		300	1.5	0.3
	2*10mm-4 pieces		10	2	0.04
	2*15mm-1 piece		15	2	0.015
	2*20mm-1 piece		20	2	0.02
	2*25mm-1 piece		25	2	0.025
	2*30mm-1 piece		30	2	0.03
	2*35mm-1 piece		35	2	0.035
	2*40mm-1 piece		40	2	0.04
	2*45mm-1 piece		45	2	0.045
	2*50mm-1 piece		50	2	0.05
	2*55mm-1 piece		55	2	0.055
	2*60mm-1 piece		60	2	0.06
	2*65mm-1 piece		65	2	0.065
	2*70mm-1 piece		70	2	0.07
	2*75mm-1 piece		75	2	0.075
	2*80mm-1 piece		80	2	0.08
	2*85mm-1 piece		85	2	0.085
	2*90mm-1 piece		90	2	0.09
	2*100mm-1 piece		100	2	0.1
	2*110mm-1 piece		110	2	0.11
	2*120mm-1 piece		120	2	0.12
	2*130mm-1 piece		130	2	0.13
	2*140mm-1 piece		140	2	0.14
	2*150mm-1 piece		150	2	0.15
	2*160mm-1 piece		160	2	0.16
	2*180mm-1 piece		180	2	0.18
	2*200mm-1 piece		200	2	0.2
	2*250mm-1 piece		250	2	0.25
	2*300mm-1 piece		300	2	0.3
	2.5*10mm-4 pieces		10	2.5	0.04
	2.5*150mm-1 piece		150	2.5	0.15
	3*10mm-2 pieces		10	3	0.04
	3*15mm-1 piece		15	3	0.015
	3*20mm-1 piece		20	3	0.02
	3*25mm-1 piece		25	3	0.025
	3*30mm-1 piece		30	3	0.03
	3*35mm-1 piece		35	3	0.035

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper circular plate	3*40mm-1 piece	Purple copper	40	3	0.04
	3*45mm-1 piece		45	3	0.045
	3*50mm-1 piece		50	3	0.05
	3*55mm-1 piece		55	3	0.055
	3*60mm-1 piece		60	3	0.06
	3*65mm-1 piece		65	3	0.065
	3*70mm-1 piece		70	3	0.07
	3*75mm-1 piece		75	3	0.075
	3*80mm-1 piece		80	3	0.08
	3*85mm-1 piece		85	3	0.085
	3*90mm-1 piece		90	3	0.09
	3*95mm-1 piece		95	3	0.095
	3*100mm-1 piece		100	3	0.1
	3*110mm-1 piece		110	3	0.11
	3*120mm-1 piece		120	3	0.12
	3*130mm-1 piece		130	3	0.13
	3*140mm-1 piece		140	3	0.14
	3*150mm-1 piece		150	3	0.15
	3*160mm-1 piece		160	3	0.16
	3*180mm-1 piece		180	3	0.18
	3*200mm-1 piece		200	3	0.2
	3*250mm-1 piece		250	3	0.25
	3*300mm-1 piece		300	3	0.3
	3.5*10mm-2 pieces		10	3.5	0.02
	3.5*150mm-1 piece		150	3.5	0.15
	4*10mm-2 pieces		10	4	0.02
	4*15mm-1 piece		15	4	0.015
	4*20mm-1 piece		20	4	0.02
	4*25mm-1 piece		25	4	0.025
	4*30mm-1 piece		30	4	0.03
	4*35mm-1 piece		35	4	0.035
	4*40mm-1 piece		40	4	0.04
	4*45mm-1 piece		45	4	0.045
	4*50mm-1 piece		50	4	0.05
	4*55mm-1 piece		55	4	0.055
	4*60mm-1 piece		60	4	0.06
	4*65mm-1 piece		65	4	0.065
	4*70mm-1 piece		70	4	0.07
	4*75mm-1 piece		75	4	0.075
	4*80mm-1 piece		80	4	0.08
	4*85mm-1 piece		85	4	0.085
	4*90mm-1 piece		90	4	0.09
	4*95mm-1 piece		95	4	0.095
	4*100mm-1 piece		100	4	0.1
	4*110mm-1 piece		110	4	0.11
	4*120mm-1 piece		120	4	0.12
	4*130mm-1 piece		130	4	0.13
	4*140mm-1 piece		140	4	0.14
	4*150mm-1 piece		150	4	0.15
	4*160mm-1 piece		160	4	0.16
	4*180mm-1 piece		180	4	0.18
	4*200mm-1 piece		200	4	0.2
	4*250mm-1 piece		250	4	0.25
	4*300mm-1 piece		300	4	0.3

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper circular plate	5*10mm-1 piece	Purple copper	10	5	0.01
	5*15mm-1 piece		15	5	0.015
	5*20mm-1 piece		20	5	0.02
	5*25mm-1 piece		25	5	0.025
	5*30mm-1 piece		30	5	0.03
	5*35mm-1 piece		35	5	0.035
	5*40mm-1 piece		40	5	0.04
	5*45mm-1 piece		45	5	0.045
	5*50mm-1 piece		50	5	0.05
	5*55mm-1 piece		55	5	0.055
	5*60mm-1 piece		60	5	0.06
	5*65mm-1 piece		65	5	0.065
	5*70mm-1 piece		70	5	0.07
	5*75mm-1 piece		75	5	0.075
	5*80mm-1 piece		80	5	0.08
	5*85mm-1 piece		85	5	0.085
	5*90mm-1 piece		90	5	0.09
	5*95mm-1 piece		95	5	0.095
	5*100mm-1 piece		100	5	0.1
	5*110mm-1 piece		110	5	0.11
	5*120mm-1 piece		120	5	0.12
	5*130mm-1 piece		130	5	0.13
	5*140mm-1 piece		140	5	0.14
	5*150mm-1 piece		150	5	0.15
	5*160mm-1 piece		160	5	0.16
	5*180mm-1 piece		180	5	0.18
	5*200mm-1 piece		200	5	0.2



PURPLE COPPER SQUARE PLATE

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Weight (kg)	Width (mm)	Thickness (mm)	Length(m)
Purple copper square plate	0.5*50*50-4pieces	Purple copper	0.04	0.50	50.00	0.05
	0.5*50*100-2pieces		0.04	0.50	50.00	0.10
	0.5*50*200-1 piece		0.04	0.50	50.00	0.20
	0.5*100*100-1 piece		0.04	0.50	100.00	0.10
	0.5*100*150-1 piece		0.07	0.50	100.00	0.15
	0.5*100*200-1 piece		0.09	0.50	100.00	0.20
	0.5*150*150-1 piece		0.10	0.50	150.00	0.15
	0.5*200*200-1 piece		0.18	0.50	200.00	0.20

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper square plate	0.5*200*300-1 piece	Purple copper	0.50	200.00	0.30
	0.5*300*300-1 piece		0.50	300.00	0.30
	0.6*50*50-4pieces		0.60	50.00	0.05
	0.6*50*100-2pieces		0.60	50.00	0.10
	0.6*50*200-1 piece		0.60	50.00	0.20
	0.6*100*100-1 piece		0.60	100.00	0.10
	0.6*100*150-1 piece		0.60	100.00	0.15
	0.6*100*200-1 piece		0.60	100.00	0.20
	0.6*150*150-1 piece		0.60	150.00	0.15
	0.6*200*200-1 piece		0.60	200.00	0.20
	0.6*200*300-1 piece		0.60	200.00	0.30
	0.6*200*600-1 piece		0.60	200.00	0.60
	0.6*300*300-1 piece		0.60	300.00	0.30
	0.8*50*50-4pieces		0.80	50.00	0.05
	0.8*50*100-2pieces		0.80	50.00	0.10
	0.8*50*200-1 piece		0.80	50.00	0.20
	0.8*100*140-1 piece		0.80	100.00	0.14
	0.8*100*100-1 piece		0.80	100.00	0.10
	0.8*100*200-1 piece		0.80	100.00	0.20
	0.8*150*150-1 piece		0.80	150.00	0.15
	0.8*200*200-1 piece		0.80	200.00	0.20
	0.8*200*300-1 piece		0.80	200.00	0.30
	0.8*300*300-1 piece		0.80	300.00	0.30
	1*50*100-1 piece		1.00	50.00	0.10
	1*50*200-1 piece		1.00	50.00	0.20
	1*100*100-1 piece		1.00	100.00	0.10
	1*100*150-1 piece		1.00	100.00	0.15
	1*100*200-1 piece		1.00	100.00	0.20
	1*150*150-1 piece		1.00	150.00	0.15
	1*200*200-1 piece		1.00	200.00	0.20
	1*200*300-1 piece		1.00	200.00	0.30
	1*300*300-1 piece		1.00	300.00	0.30
	1*300*400-1 piece		1.00	300.00	0.40
	1*200*600-1 piece		1.00	200.00	0.60
	1*500*500-1 piece		1.00	500.00	0.50
	1.2*50*100-1 piece		1.20	50.00	0.10
	1.2*50*200-1 piece		1.20	50.00	0.20
	1.2*100*100-1 piece		1.20	100.00	0.10
	1.2*100*150-1 piece		1.20	100.00	0.15
	1.2*100*200-1 piece		1.20	100.00	0.20
	1.2*200*200-1 piece		1.20	200.00	0.20
	1.2*200*300-1 piece		1.20	200.00	0.30
	1.2*300*300-1 piece		1.20	300.00	0.30
	1.2*200*600-1 piece		1.20	200.00	0.60
	1.2*500*500-1 piece		1.20	500.00	0.50
	1.5*50*100-1 piece		1.50	50.00	0.10
	1.5*50*200-1 piece		1.50	50.00	0.20
	1.5*100*100-1 piece		1.50	100.00	0.10
	1.5*100*150-1 piece		1.50	100.00	0.15
	1.5*100*200-1 piece		1.50	100.00	0.20
	1.5*200*200-1 piece		1.50	200.00	0.20
	1.5*200*300-1 piece		1.50	200.00	0.30
	2*50*100-1 piece		2.00	50.00	0.10
	2*50*200-1 piece		2.00	50.00	0.20

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper square plate	2*100*100-1 piece	Purple copper	2.00	100.00	0.10
	2*100*150-1 piece		2.00	100.00	0.15
	2*100*200-1 piece		2.00	100.00	0.20
	2*200*200-1 piece		2.00	200.00	0.20
	2*200*300-1 piece		2.00	200.00	0.30
	2*300*300-1 piece		2.00	300.00	0.30
	2.5*50*100-1 piece		2.50	50.00	0.10
	2.5*50*200-1 piece		2.50	50.00	0.20
	2.5*100*100-1 piece		2.50	100.00	0.10
	2.5*100*150-1 piece		2.50	100.00	0.15
	2.5*100*200-1 piece		2.50	100.00	0.20
	2.5*200*200-1 piece		2.50	200.00	0.20
	2.5*200*300-1 piece		2.50	200.00	0.30
	3*50*100-1 piece		3.00	50.00	0.10
	3*50*200-1 piece		3.00	50.00	0.20
	3*100*100-1 piece		3.00	100.00	0.10
	3*100*150-1 piece		3.00	100.00	0.15
	3*100*200-1 piece		3.00	100.00	0.20
	3*200*200-1 piece		3.00	200.00	0.20
	4*50*100-1 piece		4.00	50.00	0.10
	4*50*200-1 piece		4.00	50.00	0.20
	4*100*100-1 piece		4.00	100.00	0.10
	4*100*150-1 piece		4.00	100.00	0.15
	4*100*200-1 piece		4.00	100.00	0.20
	4*200*200-1 piece		4.00	200.00	0.20




BRASS CONNECTION PIECE

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass connection piece	20*1*8 center distance 10 holes 5*5	Brass	8.00	1.00	0.02
	24*1*9 center distance 14 holes 5*5		9.00	1.00	0.024
	30*1.2*10 center distance 17.5 holes 6*6		10.00	1.20	0.03
	31*1*17.5 center distance 17.5 holes 5*5		17.50	1.00	0.031
	31*1.2*12 center distance 20 holes 6*6		12.00	1.20	0.031
	36.5*1.2*12 center distance 22.5 holes 6*6		12.00	1.20	0.0365
	39*1.5*12 center distance 25 holes 6*6		12.00	1.50	0.039
	45*1.5*12 center distance 30 holes 6*6		12.00	1.50	0.045
	50*1.5*12 center distance 35 holes 6*6		12.00	1.50	0.05
	55*1.5*12 center distance 40 holes 6*6		12.00	1.50	0.055

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass connection piece	60*1.5*12 center distance 45 holes 6*6	Brass	12.00	1.50	0.06
	65*1.5*12 center distance 50 holes 6*6		12.00	1.50	0.065
	70*1.5*12 center distance 55 holes 6*6		12.00	1.50	0.07
	75*1.5*12 center distance 60 holes 6*6		12.00	1.50	0.075
	80*1.5*12 center distance 65 holes 6*6		12.00	1.50	0.08
	85*1.5*12 center distance 70 holes 6*6		12.00	1.50	0.085
	90*1.5*12 center distance 75 holes 6*6		12.00	1.50	0.09
	95*1.5*12 center distance 80 holes 6*6		12.00	1.50	0.095
	100*1.5*12 center distance 85 holes 6*6		12.00	1.50	0.1
	105*1.5*12 center distance 90 holes 6*6		12.00	1.50	0.105
	110*1.5*12 center distance 95 holes 6*6		12.00	1.50	0.11
	115*1.5*12 center distance 100 holes 6*6		12.00	1.50	0.115




PURPLE COPPER CONNECTION PIECE

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper connection piece	20*1*8 center distance 10 holes 5*6	Purple copper	8.00	51.00	0.02
	20*1.5*8 center distance 10 holes 5*6		8.00	1.50	0.02
	24*1*9 center distance 12 holes 5.2*6.5		9.00	1.00	0.024
	24*1*9 center distance 14 holes 5*6		9.00	1.00	0.024
	24*1.5*9 center distance 12 holes 5.2*6.5		9.00	1.50	0.024
	24*1.5*9 center distance 14 holes 5*6		9.00	1.50	0.024
	30*1*10 center distance 17.5 holes 5*7		10.00	1.00	0.03
	30*1*10 center distance 17.5 holes 6*7		10.00	1.00	0.03
	30*1.2*10 center distance 17.5 holes 6.5*8		10.00	1.20	0.03
	30*1.2*10 center distance 20 holes 6.5*8		10.00	1.20	0.03
	31*1.2*12 center distance 20 holes 6.5*8		12.00	1.20	0.031
	30*1.5*10 center distance 17.5 holes 6.5*8		10.00	1.50	0.03
	35*1.5*12 center distance 20 holes 6*9		12.00	1.50	0.035
	40*1.5*12 center distance 25 holes 6*9		12.00	1.50	0.04
	41*1.5*15 center distance 25 holes 8*10		15.00	1.50	0.041
	42.5*1.5*12 center distance 27.5 holes 6*9		12.00	1.50	0.0425
	45*1.5*12 center distance 30 holes 6*9		12.00	1.50	0.045
	46*1.5*15 center distance 30 holes 8*10		15.00	1.50	0.046
	50*1.5*12 center distance 35 holes 6*9		12.00	1.50	0.05
	51*1.5*15 center distance 35 holes 8*10		15.00	1.50	0.051
	55*1.5*12 center distance 40 holes 6*9		12.00	1.50	0.055
	56*1.5*15 center distance 40 holes 8*10		15.00	1.50	0.056
	60*1.5*12 center distance 45 holes 6*9		12.00	1.50	0.06

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper connection piece	61*1.5*15 center distance 45 holes 8*10	Purple copper	15.00	1.50	0.061
	65*1.5*12 center distance 50 holes 6*9		12.00	1.50	0.065
	66*1.5*15 center distance 50 holes 8*10		15.00	1.50	0.066
	70*1.5*12 center distance 55 holes 6*9		12.00	1.50	0.07
	71*1.5*15 center distance 55 holes 8*10		15.00	1.50	0.071
	75*1.5*12 center distance 60 holes 6*9		12.00	1.50	0.075
	76*1.5*15 center distance 60 holes 8*10		15.00	1.50	0.076
	80*1.5*12 center distance 65 holes 6*9		12.00	1.50	0.08
	81*1.5*15 center distance 65 holes 8*10		15.00	1.50	0.081
	83*1.5*12 center distance 68 holes 6*9		12.00	1.50	0.083
	85*1.5*12 center distance 70 holes 6*9		12.00	1.50	0.085
	86*1.5*15 center distance 70 holes 8*10		15.00	1.50	0.086
	87*1.5*12 center distance 72 holes 6*9		12.00	1.50	0.087
	88*1.5*15 center distance 72 holes 8*10		15.00	1.50	0.088
	90*1.5*12 center distance 75 holes 6*9		12.00	1.50	0.09
	91*1.5*15 center distance 75 holes 8*10		15.00	1.50	0.091
	95*1.5*12 center distance 80 holes 6*9		12.00	1.50	0.095
	96*1.5*15 center distance 80 holes 8*10		15.00	1.50	0.096
	100*1.5*12 center distance 85 holes 6*9		12.00	1.50	0.1
	101*1.5*15 center distance 85 holes 8*10		15.00	1.50	0.101
	105*1.5*12 center distance 90 holes 6*9		12.00	1.50	0.105
	106*1.5*15 center distance 90 holes 8*10		15.00	1.50	0.106
	110*1.5*12 center distance 95 holes 6*9		12.00	1.50	0.11
	111*1.5*15 center distance 95 holes 8*10		15.00	1.50	0.111
	115*1.5*12 center distance 100 holes 6*9		12.00	1.50	0.115
	116*1.5*15 center distance 100 holes 8*10		15.00	1.50	0.116



GROUNDING COPPER BUSBAR

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Grounding copper busbar	15*3*200	Brass / Brass-plated nickel	15	3	0.2
	15*3*300		15	3	0.3
	20*3*200		20	3	0.2
	20*3*300		20	3	0.3
	25*3*200		25	3	0.2
	25*3*300		25	3	0.3
	30*3*200		30	3	0.2
	30*3*300		30	3	0.3
	40*4*200		40	4	0.2
	40*4*300		40	4	0.3

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Grounding copper busbar	15*3*200	Purple copper / Purple copper plated nickel	15	3	0.2
	15*3*300		15	3	0.3
	20*3*200		20	3	0.2
	20*3*300		20	3	0.3
	25*3*200		25	3	0.2
	25*3*300		25	3	0.3
	30*3*200		30	3	0.2
	30*3*300		30	3	0.3
	40*3*300		40	3	0.3
	30*4*200		30	4	0.2
	30*4*300		30	4	0.3
	40*4*200		40	4	0.2
	40*4*300		40	4	0.3




PURPLE COPPER ROD

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Radius (mm)	Diameter (mm)	Length(m)
Purple copper rod	φ 3mm*1m-1 piece	Purple copper	1.5	3	1
	φ 4mm*1m-1 piece		2	4	1
	φ 5mm*1m-1 piece		2.5	5	1
	φ 6mm*1m-1 piece		3	6	1
	φ 7mm*1m-1 piece		3.5	7	1
	φ 8mm*1m-1 piece		4	8	1
	φ 9mm*1m-1 piece		4.5	9	1
	φ 10mm*1m-1 piece		5	10	1
	φ 12mm*1m-1 piece		6	12	1
	φ 13mm*1m-1 piece		6.5	13	1
	φ 14mm*1m-1 piece		7	14	1
	φ 15mm*1m-1 piece		7.5	15	1
	φ 16mm*1m-1 piece		8	16	1
	φ 18mm*1m-1 piece		9	18	1
	φ 20mm*1m-1 piece		10	20	1
	φ 25mm*1m-1 piece		12.5	25	1
	φ 30mm*1m-1 piece		15	30	1
	φ 3mm*0.5m-1 piece		1.5	3	0.5
	φ 4mm*0.5m-1 piece		2	4	0.5
	φ 5mm*0.5m-1 piece		2.5	5	0.5
	φ 6mm*0.5m-1 piece		3	6	0.5
	φ 7mm*0.5m-1 piece		3.5	7	0.5
	φ 8mm*0.5m-1 piece		4	8	0.5

Name	Specification	Material	Radius (mm)	Diameter (mm)	Length(m)
Purple copper rod	φ 9mm*0.5m-1 piece	Purple copper	4.5	9	0.5
	φ 10mm*0.5m-1 piece		5	10	0.5
	φ 12mm*0.5m-1 piece		6	12	0.5
	φ 13mm*0.5m-1 piece		6.5	13	0.5
	φ 14mm*0.5m-1 piece		7	14	0.5
	φ 15mm*0.5m-1 piece		7.5	15	0.5
	φ 16mm*0.5m-1 piece		8	16	0.5
	φ 18mm*0.5m-1 piece		9	18	0.5
	φ 20mm*0.5m-1 piece		10	20	0.5
	φ 25mm*0.5m-1 piece		12.5	25	0.5
	φ 30mm*0.5m-1 piece		15	30	0.5
	φ 10mm*200mm-1 piece		5	10	0.2
	φ 12mm*200mm-1 piece		6	12	0.2
	φ 13mm*200mm-1 piece		6.5	13	0.2
	φ 14mm*200mm-1 piece		7	14	0.2
	φ 15mm*200mm-1 piece		7.5	15	0.2
	φ 16mm*200mm-1 piece		8	16	0.2
	φ 18mm*200mm-1 piece		9	18	0.2
	φ 20mm*200mm-1 piece		10	20	0.2
	φ 25mm*200mm-1 piece		12.5	25	0.2
	φ 30mm*200mm-1 piece		15	30	0.2
	φ 10mm*300mm-1 piece		5	10	0.3
	φ 12mm*300mm-1 piece		6	12	0.3
	φ 13mm*300mm-1 piece		6.5	16	0.3
	φ 14mm*300mm-1 piece		7	14	0.3
	φ 15mm*300mm-1 piece		7.5	15	0.3
	φ 16mm*300mm-1 piece		8	16	0.3
	φ 18mm*300mm-1 piece		9	18	0.3
	φ 20mm*300mm-1 piece		10	20	0.3
	φ 25mm*300mm-1 piece		12.5	25	0.3
	φ 30mm*300mm-1 piece		15	30	0.3



BRASS ROD

Features


- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Radius (mm)	Diameter (mm)	Length(m)
Brass rod	φ 3mm*1m-1 piece	Brass	1.5	3	1
	φ 4mm*1m-1 piece		2	4	1
	φ 5mm*1m-1 piece		2.5	5	1
	φ 6mm*1m-1 piece		3	6	1
	φ 7mm*1m-1 piece		3.5	7	1

Name	Specification	Material	Radius (mm)	Diameter (mm)	Length(m)
Brass rod	φ 8mm*1m-1 piece	Brass	4	8	1
	φ 9mm*1m-1 piece		4.5	9	1
	φ 10mm*1m-1 piece		5	10	1
	φ 11mm*1m-1 piece		5.5	11	1
	φ 12mm*1m-1 piece		6	12	1
	φ 13mm*1m-1 piece		6.5	13	1
	φ 14mm*1m-1 piece		7	14	1
	φ 15mm*1m-1 piece		7.5	15	1
	φ 16mm*1m-1 piece		8	16	1
	φ 17mm*1m-1 piece		8.5	17	1
	φ 18mm*1m-1 piece		9	18	1
	φ 19mm*1m-1 piece		9.5	19	1
	φ 20mm*1m-1 piece		10	20	1
	φ 22mm*1m-1 piece		11	22	1
	φ 24mm*1m-1 piece		12	24	1
	φ 25mm*1m-1 piece		12.5	25	1
	φ 26mm*1m-1 piece		13	26	1
	φ 28mm*1m-1 piece		14	28	1
	φ 30mm*1m-1 piece		15	30	1
	φ 3mm*0.5m-1 piece		1.5	3	0.5
	φ 4mm*0.5m-1 piece		2	4	0.5
	φ 5mm*0.5m-1 piece		2.5	5	0.5
	φ 6mm*0.5m-1 piece		3	6	0.5
	φ 7mm*0.5m-1 piece		3.5	7	0.5
	φ 8mm*0.5m-1 piece		4	8	0.5
	φ 9mm*0.5m-1 piece		4.5	9	0.5
	φ 10mm*0.5m-1 piece		5	10	0.5
	φ 11mm*0.5m-1 piece		5.5	11	0.5
	φ 12mm*0.5m-1 piece		6	12	0.5
	φ 13mm*0.5m-1 piece		6.5	13	0.5
	φ 14mm*0.5m-1 piece		7	14	0.5
	φ 15mm*0.5m-1 piece		7.5	15	0.5
	φ 16mm*0.5m-1 piece		8	16	0.5
	φ 18mm*0.5m-1 piece		9	18	0.5
	φ 19mm*0.5m-1 piece		9.5	19	0.5
	φ 20mm*0.5m-1 piece		10	20	0.5
	φ 3mm*100mm-5pieces		1.5	3	0.1
	φ 4mm*100mm-5pieces		2	4	0.1
	φ 5mm*100mm-3pieces		2.5	5	0.1
	φ 6mm*100mm-3pieces		3	6	0.1
	φ 7mm*100mm-2pieces		3.5	7	0.1
	φ 8mm*100mm-2pieces		4	8	0.1
	φ 9mm*100mm-2pieces		4.5	9	0.1
	φ 10mm*100mm-2pieces		5	10	0.1
	φ 11mm*100mm-1piece		5.5	11	0.1
	φ 12mm*100mm-1piece		6	12	0.1
	φ 13mm*100mm-1piece		6.5	13	0.1
	φ 14mm*100mm-1piece		7	14	0.1
	φ 15mm*100mm-1piece		7.5	15	0.1
	φ 16mm*100mm-1piece		8	16	0.1
	φ 17mm*100mm-1piece		8.5	17	0.1
	φ 18mm*100mm-1piece		9	18	0.1
	φ 19mm*100mm-1piece		9.5	19	0.1
	φ 20mm*100mm-1piece		10	20	0.1

Name	Specification	Material	Radius (mm)	Diameter (mm)	Length(m)
Brass rod	φ22mm*100mm-1piece	Brass	11	22	0.1
	φ24mm*100mm-1piece		12	24	0.1
	φ25mm*100mm-1piece		12.5	25	0.1
	φ26mm*100mm-1piece		13	26	0.1
	φ28mm*100mm-1piece		14	28	0.1
	φ30mm*100mm-1piece		15	30	0.1
	φ3mm*150mm-5pieces		1.5	3	0.15
	φ4mm*150mm-5pieces		2	4	0.15
	φ5mm*150mm-3pieces		2.5	5	0.15
	φ6mm*150mm-3pieces		3	6	0.15
	φ7mm*150mm-2pieces		3.5	7	0.15
	φ8mm*150mm-2pieces		4	8	0.15
	φ9mm*150mm-2pieces		4.5	9	0.15
	φ10mm*150mm-2pieces		5	10	0.15
	φ11mm*150mm-1piece		5.5	11	0.15
	φ12mm*150mm-1piece		6	12	0.15
	φ13mm*150mm-1piece		6.5	13	0.15
	φ14mm*150mm-1piece		7	14	0.15
	φ15mm*150mm-1piece		7.5	15	0.15
	φ16mm*150mm-1piece		8	16	0.15
	φ17mm*150mm-1piece		8.5	17	0.15
	φ18mm*150mm-1piece		9	18	0.15
	φ19mm*150mm-1piece		9.5	19	0.15
	φ20mm*150mm-1piece		10	20	0.15
	φ22mm*150mm-1piece		11	22	0.15
	φ24mm*150mm-1piece		12	24	0.15
	φ25mm*150mm-1piece		12.5	25	0.15
	φ26mm*150mm-1piece		13	26	0.15
	φ28mm*150mm-1piece		14	28	0.15
	φ30mm*150mm-1piece		15	30	0.15
	φ3mm*200mm-5pieces		1.5	3	0.2
	φ4mm*200mm-5pieces		2	4	0.2
	φ5mm*200mm-3pieces		2.5	5	0.2
	φ6mm*200mm-3pieces		3	6	0.2
	φ7mm*200mm-2pieces		3.5	7	0.2
	φ8mm*200mm-2pieces		4	8	0.2
	φ9mm*200mm-2pieces		4.5	9	0.2
	φ10mm*200mm-2pieces		5	10	0.2
	φ11mm*200mm-1piece		5.5	11	0.2
	φ12mm*200mm-1piece		6	12	0.2
	φ13mm*200mm-1piece		6.5	13	0.2
	φ14mm*200mm-1piece		7	14	0.2
	φ15mm*200mm-1piece		7.5	15	0.2
	φ16mm*200mm-1piece		8	16	0.2
	φ17mm*200mm-1piece		8.5	17	0.2
	φ18mm*200mm-1piece		9	18	0.2
	φ19mm*200mm-1piece		9.5	19	0.2
	φ20mm*200mm-1piece		10	20	0.2
	φ22mm*200mm-1piece		11	22	0.2
	φ24mm*200mm-1piece		12	24	0.2
	φ25mm*200mm-1piece		12.5	25	0.2
	φ26mm*200mm-1piece		13	26	0.2
	φ28mm*200mm-1piece		14	28	0.2
	φ30mm*200mm-1piece		15	30	0.2

Name	Specification	Material	Radius (mm)	Diameter (mm)	Length(m)
Brass rod	φ3mm*250mm-5pieces	Brass	1.5	3	0.25
	φ4mm*250mm-5pieces		2	4	0.25
	φ5mm*250mm-3pieces		2.5	5	0.25
	φ6mm*250mm-3pieces		3	6	0.25
	φ7mm*250mm-2pieces		3.5	7	0.25
	φ8mm*250mm-1piece		4	8	0.25
	φ9mm*250mm-1piece		4.5	9	0.25
	φ10mm*250mm-1piece		5	10	0.25
	φ11mm*250mm-1piece		5.5	11	0.25
	φ12mm*250mm-1piece		6	12	0.25
	φ13mm*250mm-1piece		6.5	13	0.25
	φ14mm*250mm-1piece		7	14	0.25
	φ15mm*250mm-1piece		7.5	15	0.25
	φ16mm*250mm-1piece		8	16	0.25
	φ17mm*250mm-1piece		8.5	17	0.25
	φ18mm*250mm-1piece		9	18	0.25
	φ19mm*250mm-1piece		9.5	19	0.25
	φ20mm*250mm-1piece		10	20	0.25
	φ22mm*250mm-1piece		11	22	0.25
	φ24mm*250mm-1piece		12	24	0.25
	φ25mm*250mm-1piece		12.5	25	0.25
	φ26mm*250mm-1piece		13	26	0.25
	φ28mm*250mm-1piece		14	28	0.25
	φ30mm*250mm-1piece		15	30	0.25
	φ3mm*300mm-5pieces		1.5	3	0.3
	φ4mm*300mm-5pieces		2	4	0.3
	φ5mm*300mm-3pieces		2.5	5	0.3
	φ6mm*300mm-2pieces		3	6	0.3
	φ7mm*300mm-2pieces		3.5	7	0.3
	φ8mm*300mm-2pieces		4	8	0.3
	φ9mm*300mm-1piece		4.5	9	0.3
	φ10mm*300mm-1piece		5	10	0.3
	φ11mm*300mm-1piece		5.5	11	0.3
	φ12mm*300mm-1piece		6	12	0.3
	φ13mm*300mm-1piece		6.5	13	0.3
	φ14mm*300mm-1piece		7	14	0.3
	φ15mm*300mm-1piece		7.5	15	0.3
	φ16mm*300mm-1piece		8	16	0.3
	φ17mm*300mm-1piece		8.5	17	0.3
	φ18mm*300mm-1piece		9	18	0.3
	φ19mm*300mm-1piece		9.5	19	0.3
	φ20mm*300mm-1piece		10	20	0.3
	φ22mm*300mm-1piece		11	22	0.3
	φ24mm*300mm-1piece		12	24	0.3
	φ25mm*300mm-1piece		12.5	25	0.3
	φ26mm*300mm-1piece		13	26	0.3
	φ28mm*300mm-1piece		14	28	0.3
	φ30mm*300mm-1piece		15	30	0.3
	φ7mm*600mm-1piece		3.5	7	0.6



PURPLE
COPPER FOIL

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper foil	0.05mm*5mm*1m	Purple copper	0.05	5	1
	0.05mm*10mm*1m		0.05	10	1
	0.05mm*15mm*1m		0.05	15	1
	0.05mm*20mm*1m		0.05	20	1
	0.05mm*25mm*1m		0.05	25	1
	0.05mm*30mm*1m		0.05	30	1
	0.05mm*40mm*1m		0.05	40	1
	0.05mm*50mm*1m		0.05	50	1
	0.1mm*5mm*1m		0.1	5	1
	0.1mm*6mm*1m		0.1	6	1
	0.1mm*8mm*1m		0.1	8	1
	0.1mm*10mm*1m		0.1	10	1
	0.1mm*15mm*1m		0.1	15	1
	0.1mm*20mm*1m		0.1	20	1
	0.1mm*25mm*1m		0.1	25	1
	0.1mm*30mm*1m		0.1	30	1
	0.1mm*40mm*1m		0.1	40	1
	0.1mm*50mm*1m		0.1	50	1
	0.15mm*10mm*1m		0.15	10	1
	0.15mm*15mm*1m		0.15	15	1
	0.15mm*20mm*1m		0.15	20	1
	0.15mm*25mm*1m		0.15	25	1
	0.15mm*30mm*1m		0.15	30	1
	0.15mm*50mm*1m		0.15	50	1
	0.2mm*5mm*1m		0.2	5	1
	0.2mm*6mm*1m		0.2	6	1
	0.2mm*8mm*1m		0.2	8	1
	0.2mm*10mm*1m		0.2	10	1
	0.2mm*15mm*1m		0.2	15	1
	0.2mm*20mm*1m		0.2	20	1
	0.2mm*25mm*1m		0.2	25	1
	0.2mm*30mm*1m		0.2	30	1
	0.2mm*40mm*1m		0.2	40	1
	0.2mm*50mm*1m		0.2	50	1
	0.25mm*10mm*1m		0.25	10	1
	0.25mm*15mm*1m		0.25	15	1
	0.25mm*20mm*1m		0.25	20	1
	0.25mm*25mm*1m		0.25	25	1
	0.25mm*30mm*1m		0.25	30	1

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper foil	0.25mm*40mm*1m	Purple copper	0.25	40	1
	0.25mm*50mm*1m		0.25	50	1
	0.3mm*5mm*1m		0.3	5	1
	0.3mm*6mm*1m		0.3	6	1
	0.3mm*8mm*1m		0.3	8	1
	0.3mm*10mm*1m		0.3	10	1
	0.3mm*15mm*1m		0.3	15	1
	0.3mm*20mm*1m		0.3	20	1
	0.3mm*25mm*1m		0.3	25	1
	0.3mm*30mm*1m		0.3	30	1
	0.3mm*40mm*1m		0.3	40	1
	0.3mm*50mm*1m		0.3	50	1
	0.4mm*5mm*1m		0.4	5	1
	0.4mm*6mm*1m		0.4	6	1
	0.4mm*8mm*1m		0.4	8	1
	0.4mm*10mm*1m		0.4	10	1
	0.4mm*15mm*1m		0.4	15	1
	0.4mm*20mm*1m		0.4	20	1
	0.4mm*25mm*1m		0.4	25	1
	0.4mm*30mm*1m		0.4	30	1
	0.4mm*40mm*1m		0.4	40	1
	0.4mm*50mm*1m		0.4	50	1
	0.5mm*5mm*1m		0.5	5	1
	0.5mm*6mm*1m		0.5	6	1
	0.5mm*8mm*1m		0.5	8	1
	0.5mm*10mm*1m		0.5	10	1
	0.5mm*15mm*1m		0.5	15	1
	0.5mm*20mm*1m		0.5	20	1
	0.5mm*25mm*1m		0.5	25	1
	0.5mm*30mm*1m		0.5	30	1
	0.5mm*40mm*1m		0.5	40	1
	0.5mm*50mm*1m		0.5	50	1
	0.6mm*5mm*1m		0.6	5	1
	0.6mm*6mm*1m		0.6	6	1
	0.6mm*8mm*1m		0.6	8	1
	0.6mm*15mm*1m		0.6	15	1
	0.6mm*20mm*1m		0.6	20	1
	0.6mm*25mm*1m		0.6	25	1
	0.6mm*30mm*1m		0.6	30	1
	0.6mm*40mm*1m		0.6	40	1
	0.6mm*50mm*1m		0.6	50	1
	0.7mm*5mm*1m		0.7	5	1
	0.7mm*6mm*1m		0.7	6	1
	0.7mm*10mm*1m		0.7	10	1
	0.7mm*15mm*1m		0.7	15	1
	0.7mm*20mm*1m		0.7	20	1
	0.8mm*5mm*1m		0.8	5	1
	0.8mm*6mm*1m		0.8	6	1
	0.8mm*8mm*1m		0.8	8	1
	0.8mm*10mm*1m		0.8	10	1
	0.8mm*15mm*1m		0.8	15	1
	0.8mm*20mm*1m		0.8	20	1
	0.8mm*25mm*1m		0.8	25	1
	0.8mm*30mm*1m		0.8	30	1

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper foil	0.8mm*40mm*1m	Purple copper	0.8	40	1
	0.8mm*50mm*1m		0.8	50	1
	0.05mm*5mm*2m		0.05	5	2
	0.05mm*10mm*2m		0.05	10	2
	0.05mm*15mm*2m		0.05	15	2
	0.05mm*20mm*2m		0.05	20	2
	0.05mm*25mm*2m		0.05	25	2
	0.05mm*30mm*2m		0.05	30	2
	0.05mm*40mm*2m		0.05	40	2
	0.05mm*50mm*2m		0.05	50	2
	0.1mm*5mm*2m		0.1	5	2
	0.1mm*6mm*2m		0.1	6	2
	0.1mm*8mm*2m		0.1	8	2
	0.1mm*10mm*2m		0.1	10	2
	0.1mm*15mm*2m		0.1	15	2
	0.1mm*20mm*2m		0.1	20	2
	0.1mm*25mm*2m		0.1	25	2
	0.1mm*30mm*2m		0.1	30	2
	0.1mm*40mm*2m		0.1	40	2
	0.1mm*50mm*2m		0.1	50	2
	0.15mm*10mm*2m		0.15	10	2
	0.15mm*15mm*2m		0.15	15	2
	0.15mm*20mm*2m		0.15	20	2
	0.15mm*25mm*2m		0.15	25	2
	0.15mm*30mm*2m		0.15	30	2
	0.15mm*50mm*2m		0.15	50	2
	0.2mm*5mm*2m		0.2	5	2
	0.2mm*6mm*2m		0.2	6	2
	0.2mm*8mm*2m		0.2	8	2
	0.2mm*10mm*2m		0.2	10	2
	0.2mm*15mm*2m		0.2	15	2
	0.2mm*20mm*2m		0.2	20	2
	0.2mm*25mm*2m		0.2	25	2
	0.2mm*30mm*2m		0.2	30	2
	0.2mm*40mm*2m		0.2	40	2
	0.2mm*50mm*2m		0.2	50	2
	0.25mm*10mm*2m		0.25	10	2
	0.25mm*15mm*2m		0.25	15	2
	0.25mm*20mm*2m		0.25	20	2
	0.25mm*25mm*2m		0.25	25	2
	0.25mm*30mm*2m		0.25	30	2
	0.25mm*40mm*2m		0.25	40	2
	0.25mm*50mm*2m		0.25	50	2
	0.3mm*5mm*2m		0.3	5	2
	0.3mm*6mm*2m		0.3	6	2
	0.3mm*8mm*2m		0.3	8	2
	0.3mm*10mm*2m		0.3	10	2
	0.3mm*15mm*2m		0.3	15	2
	0.3mm*20mm*2m		0.3	20	2
	0.3mm*25mm*2m		0.3	25	2
	0.3mm*30mm*2m		0.3	30	2
	0.3mm*40mm*2m		0.3	40	2
	0.3mm*50mm*2m		0.3	50	2
	0.4mm*5mm*2m		0.4	5	2

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper foil	0.4mm*6mm*2m	Purple copper	0.4	6	2
	0.4mm*8mm*2m		0.4	8	2
	0.4mm*10mm*2m		0.4	10	2
	0.4mm*15mm*2m		0.4	15	2
	0.4mm*20mm*2m		0.4	20	2
	0.4mm*25mm*2m		0.4	25	2
	0.4mm*30mm*2m		0.4	30	2
	0.4mm*40mm*2m		0.4	40	2
	0.4mm*50mm*2m		0.4	50	2
	0.5mm*5mm*2m		0.5	5	2
	0.5mm*6mm*2m		0.5	6	2
	0.5mm*8mm*2m		0.5	8	2
	0.5mm*10mm*2m		0.5	10	2
	0.5mm*15mm*2m		0.5	15	2
	0.5mm*20mm*2m		0.5	20	2
	0.5mm*25mm*2m		0.5	25	2
	0.5mm*30mm*2m		0.5	30	2
	0.5mm*40mm*2m		0.5	40	2
	0.5mm*50mm*2m		0.5	50	2
	0.6mm*5mm*2m		0.6	5	2
	0.6mm*6mm*2m		0.6	6	2
	0.6mm*8mm*2m		0.6	8	2
	0.6mm*15mm*2m		0.6	15	2
	0.6mm*20mm*2m		0.6	20	2
	0.6mm*25mm*2m		0.6	25	2
	0.6mm*30mm*2m		0.6	30	2
	0.6mm*40mm*2m		0.6	40	2
	0.6mm*50mm*2m		0.6	50	2
	0.7mm*5mm*2m		0.7	5	2
	0.7mm*6mm*2m		0.7	6	2
	0.7mm*10mm*2m		0.7	10	2
	0.7mm*15mm*2m		0.7	15	2
	0.7mm*20mm*2m		0.7	20	2
	0.8mm*5mm*2m		0.8	5	2
	0.8mm*6mm*2m		0.8	6	2
	0.8mm*8mm*2m		0.8	8	2
	0.8mm*10mm*2m		0.8	10	2
	0.8mm*15mm*2m		0.8	15	2
	0.8mm*20mm*2m		0.8	20	2
	0.8mm*25mm*2m		0.8	25	2
	0.8mm*30mm*2m		0.8	30	2
	0.8mm*40mm*2m		0.8	40	2
	0.8mm*50mm*2m		0.8	50	2
	0.05mm*5mm*3m		0.05	5	3
	0.05mm*10mm*3m		0.05	10	3
	0.05mm*15mm*3m		0.05	15	3
	0.05mm*20mm*3m		0.05	20	3
	0.05mm*25mm*3m		0.05	25	3
	0.05mm*30mm*3m		0.05	30	3
	0.05mm*40mm*3m		0.05	40	3
	0.05mm*50mm*3m		0.05	50	3
	0.1mm*5mm*3m		0.1	5	3
	0.1mm*6mm*3m		0.1	6	3
	0.1mm*8mm*3m		0.1	8	3

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper foil	0.1mm*10mm*3m	Purple copper	0.1	10	3
	0.1mm*15mm*3m		0.1	15	3
	0.1mm*20mm*3m		0.1	20	3
	0.1mm*25mm*3m		0.1	25	3
	0.1mm*30mm*3m		0.1	30	3
	0.1mm*40mm*3m		0.1	40	3
	0.1mm*50mm*3m		0.1	50	3
	0.15mm*10mm*3m		0.15	10	3
	0.15mm*15mm*3m		0.15	15	3
	0.15mm*20mm*3m		0.15	20	3
	0.15mm*25mm*3m		0.15	25	3
	0.15mm*30mm*3m		0.15	30	3
	0.15mm*50mm*3m		0.15	50	3
	0.2mm*5mm*3m		0.2	5	3
	0.2mm*6mm*3m		0.2	6	3
	0.2mm*8mm*3m		0.2	8	3
	0.2mm*10mm*3m		0.2	10	3
	0.2mm*15mm*3m		0.2	15	3
	0.2mm*20mm*3m		0.2	20	3
	0.2mm*25mm*3m		0.2	25	3
	0.2mm*30mm*3m		0.2	30	3
	0.2mm*40mm*3m		0.2	40	3
	0.2mm*50mm*3m		0.2	50	3
	0.25mm*10mm*3m		0.25	10	3
	0.25mm*15mm*3m		0.25	15	3
	0.25mm*20mm*3m		0.25	20	3
	0.25mm*25mm*3m		0.25	25	3
	0.25mm*30mm*3m		0.25	30	3
	0.25mm*40mm*3m		0.25	40	3
	0.25mm*50mm*3m		0.25	50	3
	0.3mm*5mm*3m		0.3	5	3
	0.3mm*6mm*3m		0.3	6	3
	0.3mm*8mm*3m		0.3	8	3
	0.3mm*10mm*3m		0.3	10	3
	0.3mm*15mm*3m		0.3	15	3
	0.3mm*20mm*3m		0.3	20	3
	0.3mm*25mm*3m		0.3	25	3
	0.3mm*30mm*3m		0.3	30	3
	0.3mm*40mm*3m		0.3	40	3
	0.3mm*50mm*3m		0.3	50	3
	0.4mm*5mm*3m		0.4	5	3
	0.4mm*6mm*3m		0.4	6	3
	0.4mm*8mm*3m		0.4	8	3
	0.4mm*10mm*3m		0.4	10	3
	0.4mm*15mm*3m		0.4	15	3
	0.4mm*20mm*3m		0.4	20	3
	0.4mm*25mm*3m		0.4	25	3
	0.4mm*30mm*3m		0.4	30	3
	0.4mm*40mm*3m		0.4	40	3
	0.4mm*50mm*3m		0.4	50	3
	0.5mm*5mm*3m		0.5	5	3
	0.5mm*6mm*3m		0.5	6	3
	0.5mm*8mm*3m		0.5	8	3
	0.5mm*10mm*3m		0.5	10	3

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper foil	0.1mm*10mm*3m	Purple copper	0.1	10	3
	0.1mm*15mm*3m		0.1	15	3
	0.1mm*20mm*3m		0.1	20	3
	0.1mm*25mm*3m		0.1	25	3
	0.1mm*30mm*3m		0.1	30	3
	0.1mm*40mm*3m		0.1	40	3
	0.1mm*50mm*3m		0.1	50	3
	0.15mm*10mm*3m		0.15	10	3
	0.15mm*15mm*3m		0.15	15	3
	0.15mm*20mm*3m		0.15	20	3
	0.15mm*25mm*3m		0.15	25	3
	0.15mm*30mm*3m		0.15	30	3
	0.15mm*50mm*3m		0.15	50	3
	0.2mm*5mm*3m		0.2	5	3
	0.2mm*6mm*3m		0.2	6	3
	0.2mm*8mm*3m		0.2	8	3
	0.2mm*10mm*3m		0.2	10	3
	0.2mm*15mm*3m		0.2	15	3
	0.2mm*20mm*3m		0.2	20	3
	0.2mm*25mm*3m		0.2	25	3
	0.2mm*30mm*3m		0.2	30	3
	0.2mm*40mm*3m		0.2	40	3
	0.2mm*50mm*3m		0.2	50	3
	0.25mm*10mm*3m		0.25	10	3
	0.25mm*15mm*3m		0.25	15	3
	0.25mm*20mm*3m		0.25	20	3
	0.25mm*25mm*3m		0.25	25	3
	0.25mm*30mm*3m		0.25	30	3
	0.25mm*40mm*3m		0.25	40	3
	0.25mm*50mm*3m		0.25	50	3
	0.3mm*5mm*3m		0.3	5	3
	0.3mm*6mm*3m		0.3	6	3
	0.3mm*8mm*3m		0.3	8	3
	0.3mm*10mm*3m		0.3	10	3
	0.3mm*15mm*3m		0.3	15	3
	0.3mm*20mm*3m		0.3	20	3
	0.3mm*25mm*3m		0.3	25	3
	0.3mm*30mm*3m		0.3	30	3
	0.3mm*40mm*3m		0.3	40	3
	0.3mm*50mm*3m		0.3	50	3
	0.4mm*5mm*3m		0.4	5	3
	0.4mm*6mm*3m		0.4	6	3
	0.4mm*8mm*3m		0.4	8	3
	0.4mm*10mm*3m		0.4	10	3
	0.4mm*15mm*3m		0.4	15	3
	0.4mm*20mm*3m		0.4	20	3
	0.4mm*25mm*3m		0.4	25	3
	0.4mm*30mm*3m		0.4	30	3
	0.4mm*40mm*3m		0.4	40	3
	0.4mm*50mm*3m		0.4	50	3
	0.5mm*5mm*3m		0.5	5	3
	0.5mm*6mm*3m		0.5	6	3
	0.5mm*8mm*3m		0.5	8	3
	0.5mm*10mm*3m		0.5	10	3

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper foil	0.5mm*15mm*3m	Purple copper	0.5	15	3
	0.5mm*20mm*3m		0.5	20	3
	0.5mm*25mm*3m		0.5	25	3
	0.5mm*30mm*3m		0.5	30	3
	0.5mm*40mm*3m		0.5	40	3
	0.5mm*50mm*3m		0.5	50	3
	0.6mm*5mm*3m		0.6	5	3
	0.6mm*6mm*3m		0.6	6	3
	0.6mm*8mm*3m		0.6	8	3
	0.6mm*15mm*3m		0.6	15	3
	0.6mm*20mm*3m		0.6	20	3
	0.6mm*25mm*3m		0.6	25	3
	0.6mm*30mm*3m		0.6	30	3
	0.6mm*40mm*3m		0.6	40	3
	0.6mm*50mm*3m		0.6	50	3
	0.7mm*5mm*3m		0.7	5	3
	0.7mm*6mm*3m		0.7	6	3
	0.7mm*10mm*3m		0.7	10	3
	0.7mm*15mm*3m		0.7	15	3
	0.7mm*20mm*3m		0.7	20	3
	0.8mm*5mm*3m		0.8	5	3
	0.8mm*6mm*3m		0.8	6	3
	0.8mm*8mm*3m		0.8	8	3
	0.8mm*10mm*3m		0.8	10	3
	0.8mm*15mm*3m		0.8	15	3
	0.8mm*20mm*3m		0.8	20	3
	0.8mm*25mm*3m		0.8	25	3
	0.8mm*30mm*3m		0.8	30	3
	0.8mm*40mm*3m		0.8	40	3
	0.8mm*50mm*3m		0.8	50	3
	0.05mm*5mm*5m		0.05	5	5
	0.05mm*10mm*5m		0.05	10	5
	0.05mm*15mm*5m		0.05	15	5
	0.05mm*20mm*5m		0.05	20	5
	0.05mm*25mm*5m		0.05	25	5
	0.05mm*30mm*5m		0.05	30	5
	0.05mm*40mm*5m		0.05	40	5
	0.05mm*50mm*5m		0.05	50	5
	0.1mm*5mm*5m		0.1	5	5
	0.1mm*6mm*5m		0.1	6	5
	0.1mm*8mm*5m		0.1	8	5
	0.1mm*10mm*5m		0.1	10	5
	0.1mm*15mm*5m		0.1	15	5
	0.1mm*20mm*5m		0.1	20	5
	0.1mm*25mm*5m		0.1	25	5
	0.1mm*30mm*5m		0.1	30	5
	0.1mm*40mm*5m		0.1	40	5
	0.1mm*50mm*5m		0.1	50	5
	0.15mm*10mm*5m		0.15	10	5
	0.15mm*15mm*5m		0.15	15	5
	0.15mm*20mm*5m		0.15	20	5
	0.15mm*25mm*5m		0.15	25	5
	0.15mm*30mm*5m		0.15	30	5
	0.15mm*50mm*5m		0.15	50	5

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper foil	0.2mm*5mm*5m	Purple copper	0.2	5	5
	0.2mm*6mm*5m		0.2	6	5
	0.2mm*8mm*5m		0.2	8	5
	0.2mm*10mm*5m		0.2	10	5
	0.2mm*15mm*5m		0.2	15	5
	0.2mm*20mm*5m		0.2	20	5
	0.2mm*25mm*5m		0.2	25	5
	0.2mm*30mm*5m		0.2	30	5
	0.2mm*40mm*5m		0.2	40	5
	0.2mm*50mm*5m		0.2	50	5
	0.25mm*10mm*5m		0.25	10	5
	0.25mm*15mm*5m		0.25	15	5
	0.25mm*20mm*5m		0.25	20	5
	0.25mm*25mm*5m		0.25	25	5
	0.25mm*30mm*5m		0.25	30	5
	0.25mm*40mm*5m		0.25	40	5
	0.25mm*50mm*5m		0.25	50	5
	0.3mm*5mm*5m		0.3	5	5
	0.3mm*6mm*5m		0.3	6	5
	0.3mm*8mm*5m		0.3	8	5
	0.3mm*10mm*5m		0.3	10	5
	0.3mm*15mm*5m		0.3	15	5
	0.3mm*20mm*5m		0.3	20	5
	0.3mm*25mm*5m		0.3	25	5
	0.3mm*30mm*5m		0.3	30	5
	0.3mm*40mm*5m		0.3	40	5
	0.3mm*50mm*5m		0.3	50	5
	0.4mm*5mm*5m		0.4	5	5
	0.4mm*6mm*5m		0.4	6	5
	0.4mm*8mm*5m		0.4	8	5
	0.4mm*10mm*5m		0.4	10	5
	0.4mm*15mm*5m		0.4	15	5
	0.4mm*20mm*5m		0.4	20	5
	0.4mm*25mm*5m		0.4	25	5
	0.4mm*30mm*5m		0.4	30	5
	0.4mm*40mm*5m		0.4	40	5
	0.4mm*50mm*5m		0.4	50	5
	0.5mm*5mm*5m		0.5	5	5
	0.5mm*6mm*5m		0.5	6	5
	0.5mm*8mm*5m		0.5	8	5
	0.5mm*10mm*5m		0.5	10	5
	0.5mm*15mm*5m		0.5	15	5
	0.5mm*20mm*5m		0.5	20	5
	0.5mm*25mm*5m		0.5	25	5
	0.5mm*30mm*5m		0.5	30	5
	0.5mm*40mm*5m		0.5	40	5
	0.5mm*50mm*5m		0.5	50	5
	0.6mm*5mm*5m		0.6	5	5
	0.6mm*6mm*5m		0.6	6	5
	0.6mm*8mm*5m		0.6	8	5
	0.6mm*15mm*5m		0.6	15	5
	0.6mm*20mm*5m		0.6	20	5
	0.6mm*25mm*5m		0.6	25	5
	0.6mm*30mm*5m		0.6	30	5

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper foil	0.6mm*40mm*5m	Purple copper	0.6	40	5
	0.6mm*50mm*5m		0.6	50	5
	0.7mm*5mm*5m		0.7	5	5
	0.7mm*6mm*5m		0.7	6	5
	0.7mm*10mm*5m		0.7	10	5
	0.7mm*15mm*5m		0.7	15	5
	0.7mm*20mm*5m		0.7	20	5
	0.8mm*5mm*5m		0.8	5	5
	0.8mm*6mm*5m		0.8	6	5
	0.8mm*8mm*5m		0.8	8	5
	0.8mm*10mm*5m		0.8	10	5
	0.8mm*15mm*5m		0.8	15	5
	0.8mm*20mm*5m		0.8	20	5
	0.8mm*25mm*5m		0.8	25	5
	0.8mm*30mm*5m		0.8	30	5
	0.8mm*40mm*5m		0.8	40	5
	0.8mm*50mm*5m		0.8	50	5



BRASS FOIL

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass foil	0.05mm*10mm*1m	Brass	0.05	10.00	1.00
	0.05mm*15mm*1m		0.05	15.00	1.00
	0.05mm*20mm*1m		0.05	20.00	1.00
	0.05mm*25mm*1m		0.05	25.00	1.00
	0.05mm*30mm*1m		0.05	30.00	1.00
	0.05mm*35mm*1m		0.05	35.00	1.00
	0.05mm*40mm*1m		0.05	40.00	1.00
	0.05mm*45mm*1m		0.05	45.00	1.00
	0.05mm*50mm*1m		0.05	50.00	1.00
	0.05mm*60mm*1m		0.05	60.00	1.00
	0.05mm*80mm*1m		0.05	80.00	1.00
	0.05mm*100mm*1m		0.05	100.00	1.00
	0.1mm*5mm*1m		0.10	5.00	1.00
	0.1mm*10mm*1m		0.10	10.00	1.00
	0.1mm*15mm*1m		0.10	15.00	1.00
	0.1mm*20mm*1m		0.10	20.00	1.00
	0.1mm*25mm*1m		0.10	25.00	1.00
	0.1mm*30mm*1m		0.10	30.00	1.00
	0.1mm*35mm*1m		0.10	35.00	1.00

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass foil	0.1mm*40mm*1m	Brass	0.10	40.00	1.00
	0.1mm*45mm*1m		0.10	45.00	1.00
	0.1mm*50mm*1m		0.10	50.00	1.00
	0.1mm*55mm*1m		0.10	55.00	1.00
	0.1mm*60mm*1m		0.10	60.00	1.00
	0.1mm*70mm*1m		0.10	70.00	1.00
	0.1mm*80mm*1m		0.10	80.00	1.00
	0.1mm*90mm*1m		0.10	90.00	1.00
	0.1mm*100mm*1m		0.10	100.00	1.00
	0.15mm*10mm*1m		0.15	10.00	1.00
	0.15mm*15mm*1m		0.15	15.00	1.00
	0.15mm*20mm*1m		0.15	20.00	1.00
	0.15mm*25mm*1m		0.15	25.00	1.00
	0.15mm*30mm*1m		0.15	30.00	1.00
	0.15mm*50mm*1m		0.15	50.00	1.00
	0.15mm*100mm*1m		0.15	100.00	1.00
	0.2mm*5mm*1m		0.20	5.00	1.00
	0.2mm*10mm*1m		0.20	10.00	1.00
	0.2mm*15mm*1m		0.20	15.00	1.00
	0.2mm*20mm*1m		0.20	20.00	1.00
	0.2mm*25mm*1m		0.20	25.00	1.00
	0.2mm*30mm*1m		0.20	30.00	1.00
	0.2mm*35mm*1m		0.20	35.00	1.00
	0.2mm*40mm*1m		0.20	40.00	1.00
	0.2mm*45mm*1m		0.20	45.00	1.00
	0.2mm*50mm*1m		0.20	50.00	1.00
	0.2mm*55mm*1m		0.20	55.00	1.00
	0.2mm*60mm*1m		0.20	60.00	1.00
	0.2mm*70mm*1m		0.20	70.00	1.00
	0.2mm*80mm*1m		0.20	80.00	1.00
	0.2mm*90mm*1m		0.20	90.00	1.00
	0.2mm*100mm*1m		0.20	100.00	1.00
	0.3mm*5mm*1m		0.30	5.00	1.00
	0.3mm*10mm*1m		0.30	10.00	1.00
	0.3mm*15mm*1m		0.30	15.00	1.00
	0.3mm*20mm*1m		0.30	20.00	1.00
	0.3mm*25mm*1m		0.30	25.00	1.00
	0.3mm*30mm*1m		0.30	30.00	1.00
	0.3mm*35mm*1m		0.30	35.00	1.00
	0.3mm*40mm*1m		0.30	40.00	1.00
	0.3mm*45mm*1m		0.30	45.00	1.00
	0.3mm*50mm*1m		0.30	50.00	1.00
	0.3mm*60mm*1m		0.30	60.00	1.00
	0.3mm*80mm*1m		0.30	80.00	1.00
	0.3mm*90mm*1m		0.30	90.00	1.00
	0.3mm*100mm*1m		0.30	100.00	1.00
	0.4mm*5mm*1m		0.40	5.00	1.00
	0.4mm*10mm*1m		0.40	10.00	1.00
	0.4mm*15mm*1m		0.40	15.00	1.00
	0.4mm*20mm*1m		0.40	20.00	1.00
	0.4mm*25mm*1m		0.40	25.00	1.00
	0.4mm*30mm*1m		0.40	30.00	1.00
	0.4mm*35mm*1m		0.40	35.00	1.00
	0.4mm*40mm*1m		0.40	40.00	1.00

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass foil	0.4mm*45mm*1m	Brass	0.40	45.00	1.00
	0.4mm*50mm*1m		0.40	50.00	1.00
	0.4mm*55mm*1m		0.40	55.00	1.00
	0.4mm*60mm*1m		0.40	60.00	1.00
	0.4mm*70mm*1m		0.40	70.00	1.00
	0.4mm*80mm*1m		0.40	80.00	1.00
	0.4mm*90mm*1m		0.40	90.00	1.00
	0.4mm*100mm*1m		0.40	100.00	1.00
	0.5mm*5mm*1m		0.50	5.00	1.00
	0.5mm*10mm*1m		0.50	10.00	1.00
	0.5mm*15mm*1m		0.50	15.00	1.00
	0.5mm*20mm*1m		0.50	20.00	1.00
	0.5mm*25mm*1m		0.50	25.00	1.00
	0.5mm*30mm*1m		0.50	30.00	1.00
	0.5mm*35mm*1m		0.50	35.00	1.00
	0.5mm*40mm*1m		0.50	40.00	1.00
	0.5mm*45mm*1m		0.50	45.00	1.00
	0.5mm*50mm*1m		0.50	50.00	1.00
	0.5mm*55mm*1m		0.50	55.00	1.00
	0.5mm*60mm*1m		0.50	60.00	1.00
	0.5mm*70mm*1m		0.50	70.00	1.00
	0.5mm*80mm*1m		0.50	80.00	1.00
	0.5mm*90mm*1m		0.50	90.00	1.00
	0.5mm*100mm*1m		0.50	100.00	1.00
	0.6mm*10mm*1m		0.60	10.00	1.00
	0.6mm*15mm*1m		0.60	15.00	1.00
	0.6mm*20mm*1m		0.60	20.00	1.00
	0.6mm*25mm*1m		0.60	25.00	1.00
	0.6mm*30mm*1m		0.60	30.00	1.00
	0.6mm*40mm*1m		0.60	40.00	1.00
	0.6mm*50mm*1m		0.60	50.00	1.00
	0.6mm*100mm*1m		0.60	100.00	1.00
	1mm*50mm*1m		1.00	50.00	1.00
	1mm*100mm*1m		1.00	100.00	1.00
	0.05mm*10mm*2m		0.05	10.00	2
	0.05mm*15mm*2m		0.05	15.00	2
	0.05mm*20mm*2m		0.05	20.00	2
	0.05mm*25mm*2m		0.05	25.00	2
	0.05mm*30mm*2m		0.05	30.00	2
	0.05mm*35mm*2m		0.05	35.00	2
	0.05mm*40mm*2m		0.05	40.00	2
	0.05mm*45mm*2m		0.05	45.00	2
	0.05mm*50mm*2m		0.05	50.00	2
	0.05mm*60mm*2m		0.05	60.00	2
	0.05mm*80mm*2m		0.05	80.00	2
	0.05mm*100mm*2m		0.05	100.00	2
	0.1mm*5mm*2m		0.10	5.00	2
	0.1mm*10mm*2m		0.10	10.00	2
	0.1mm*15mm*2m		0.10	15.00	2
	0.1mm*20mm*2m		0.10	20.00	2
	0.1mm*25mm*2m		0.10	25.00	2
	0.1mm*30mm*2m		0.10	30.00	2
	0.1mm*35mm*2m		0.10	35.00	2
	0.1mm*40mm*2m		0.10	40.00	2

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass foil	0.1mm*45mm*2m	Brass	0.10	45.00	2
	0.1mm*50mm*2m		0.10	50.00	2
	0.1mm*55mm*2m		0.10	55.00	2
	0.1mm*60mm*2m		0.10	60.00	2
	0.1mm*70mm*2m		0.10	70.00	2
	0.1mm*80mm*2m		0.10	80.00	2
	0.1mm*90mm*2m		0.10	90.00	2
	0.1mm*100mm*2m		0.10	100.00	2
	0.15mm*10mm*2m		0.15	10.00	2
	0.15mm*15mm*2m		0.15	15.00	2
	0.15mm*20mm*2m		0.15	20.00	2
	0.15mm*25mm*2m		0.15	25.00	2
	0.15mm*30mm*2m		0.15	30.00	2
	0.15mm*50mm*2m		0.15	50.00	2
	0.15mm*100mm*2m		0.15	100.00	2
	0.2mm*5mm*2m		0.20	5.00	2
	0.2mm*10mm*2m		0.20	10.00	2
	0.2mm*15mm*2m		0.20	15.00	2
	0.2mm*20mm*2m		0.20	20.00	2
	0.2mm*25mm*2m		0.20	25.00	2
	0.2mm*30mm*2m		0.20	30.00	2
	0.2mm*35mm*2m		0.20	35.00	2
	0.2mm*40mm*2m		0.20	40.00	2
	0.2mm*45mm*2m		0.20	45.00	2
	0.2mm*50mm*2m		0.20	50.00	2
	0.2mm*55mm*2m		0.20	55.00	2
	0.2mm*60mm*2m		0.20	60.00	2
	0.2mm*70mm*2m		0.20	70.00	2
	0.2mm*80mm*2m		0.20	80.00	2
	0.2mm*90mm*2m		0.20	90.00	2
	0.2mm*100mm*2m		0.20	100.00	2
	0.3mm*5mm*2m		0.30	5.00	2
	0.3mm*10mm*2m		0.30	10.00	2
	0.3mm*15mm*2m		0.30	15.00	2
	0.3mm*20mm*2m		0.30	20.00	2
	0.3mm*25mm*2m		0.30	25.00	2
	0.3mm*30mm*2m		0.30	30.00	2
	0.3mm*35mm*2m		0.30	35.00	2
	0.3mm*40mm*2m		0.30	40.00	2
	0.3mm*45mm*2m		0.30	45.00	2
	0.3mm*50mm*2m		0.30	50.00	2
	0.3mm*60mm*2m		0.30	60.00	2
	0.3mm*80mm*2m		0.30	80.00	2
	0.3mm*90mm*2m		0.30	90.00	2
	0.3mm*100mm*2m		0.30	100.00	2
	0.4mm*5mm*2m		0.40	5.00	2
	0.4mm*10mm*2m		0.40	10.00	2
	0.4mm*15mm*2m		0.40	15.00	2
	0.4mm*20mm*2m		0.40	20.00	2
	0.4mm*25mm*2m		0.40	25.00	2
	0.4mm*30mm*2m		0.40	30.00	2
	0.4mm*35mm*2m		0.40	35.00	2
	0.4mm*40mm*2m		0.40	40.00	2
	0.4mm*45mm*2m		0.40	45.00	2

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass foil	0.4mm*50mm*2m	Brass	0.40	50.00	2
	0.4mm*55mm*2m		0.40	55.00	2
	0.4mm*60mm*2m		0.40	60.00	2
	0.4mm*70mm*2m		0.40	70.00	2
	0.4mm*80mm*2m		0.40	80.00	2
	0.4mm*90mm*2m		0.40	90.00	2
	0.4mm*100mm*2m		0.40	100.00	2
	0.5mm*5mm*2m		0.50	5.00	2
	0.5mm*10mm*2m		0.50	10.00	2
	0.5mm*15mm*2m		0.50	15.00	2
	0.5mm*20mm*2m		0.50	20.00	2
	0.5mm*25mm*2m		0.50	25.00	2
	0.5mm*30mm*2m		0.50	30.00	2
	0.5mm*35mm*2m		0.50	35.00	2
	0.5mm*40mm*2m		0.50	40.00	2
	0.5mm*45mm*2m		0.50	45.00	2
	0.5mm*50mm*2m		0.50	50.00	2
	0.5mm*55mm*2m		0.50	55.00	2
	0.5mm*60mm*2m		0.50	60.00	2
	0.5mm*70mm*2m		0.50	70.00	2
	0.5mm*80mm*2m		0.50	80.00	2
	0.5mm*90mm*2m		0.50	90.00	2
	0.5mm*100mm*2m		0.50	100.00	2
	0.6mm*10mm*2m		0.60	10.00	2
	0.6mm*15mm*2m		0.60	15.00	2
	0.6mm*20mm*2m		0.60	20.00	2
	0.6mm*25mm*2m		0.60	25.00	2
	0.6mm*30mm*2m		0.60	30.00	2
	0.6mm*40mm*2m		0.60	40.00	2
	0.6mm*50mm*2m		0.60	50.00	2
	0.6mm*100mm*2m		0.60	100.00	2
	1mm*50mm*2m		1.00	50.00	2
	1mm*100mm*2m		1.00	100.00	2
	0.05mm*10mm*3m		0.05	10.00	3
	0.05mm*15mm*3m		0.05	15.00	3
	0.05mm*20mm*3m		0.05	20.00	3
	0.05mm*25mm*3m		0.05	25.00	3
	0.05mm*30mm*3m		0.05	30.00	3
	0.05mm*35mm*3m		0.05	35.00	3
	0.05mm*40mm*3m		0.05	40.00	3
	0.05mm*45mm*3m		0.05	45.00	3
	0.05mm*50mm*3m		0.05	50.00	3
	0.05mm*60mm*3m		0.05	60.00	3
	0.05mm*80mm*3m		0.05	80.00	3
	0.05mm*100mm*3m		0.05	100.00	3
	0.1mm*5mm*3m		0.10	5.00	3
	0.1mm*10mm*3m		0.10	10.00	3
	0.1mm*15mm*3m		0.10	15.00	3
	0.1mm*20mm*3m		0.10	20.00	3
	0.1mm*25mm*3m		0.10	25.00	3
	0.1mm*30mm*3m		0.10	30.00	3
	0.1mm*35mm*3m		0.10	35.00	3
	0.1mm*40mm*3m		0.10	40.00	3
	0.1mm*45mm*3m		0.10	45.00	3
	0.1mm*45mm*3m		0.10	45.00	3

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass foil	0.1mm*50mm*3m	Brass	0.10	50.00	3
	0.1mm*55mm*3m		0.10	55.00	3
	0.1mm*60mm*3m		0.10	60.00	3
	0.1mm*70mm*3m		0.10	70.00	3
	0.1mm*80mm*3m		0.10	80.00	3
	0.1mm*90mm*3m		0.10	90.00	3
	0.1mm*100mm*3m		0.10	100.00	3
	0.15mm*10mm*3m		0.15	10.00	3
	0.15mm*15mm*3m		0.15	15.00	3
	0.15mm*20mm*3m		0.15	20.00	3
	0.15mm*25mm*3m		0.15	25.00	3
	0.15mm*30mm*3m		0.15	30.00	3
	0.15mm*50mm*3m		0.15	50.00	3
	0.15mm*100mm*3m		0.15	100.00	3
	0.2mm*5mm*3m		0.20	5.00	3
	0.2mm*10mm*3m		0.20	10.00	3
	0.2mm*15mm*3m		0.20	15.00	3
	0.2mm*20mm*3m		0.20	20.00	3
	0.2mm*25mm*3m		0.20	25.00	3
	0.2mm*30mm*3m		0.20	30.00	3
	0.2mm*35mm*3m		0.20	35.00	3
	0.2mm*40mm*3m		0.20	40.00	3
	0.2mm*45mm*3m		0.20	45.00	3
	0.2mm*50mm*3m		0.20	50.00	3
	0.2mm*55mm*3m		0.20	55.00	3
	0.2mm*60mm*3m		0.20	60.00	3
	0.2mm*70mm*3m		0.20	70.00	3
	0.2mm*80mm*3m		0.20	80.00	3
	0.2mm*90mm*3m		0.20	90.00	3
	0.2mm*100mm*3m		0.20	100.00	3
	0.3mm*5mm*3m		0.30	5.00	3
	0.3mm*10mm*3m		0.30	10.00	3
	0.3mm*15mm*3m		0.30	15.00	3
	0.3mm*20mm*3m		0.30	20.00	3
	0.3mm*25mm*3m		0.30	25.00	3
	0.3mm*30mm*3m		0.30	30.00	3
	0.3mm*35mm*3m		0.30	35.00	3
	0.3mm*40mm*3m		0.30	40.00	3
	0.3mm*45mm*3m		0.30	45.00	3
	0.3mm*50mm*3m		0.30	50.00	3
	0.3mm*60mm*3m		0.30	60.00	3
	0.3mm*80mm*3m		0.30	80.00	3
	0.3mm*90mm*3m		0.30	90.00	3
	0.3mm*100mm*3m		0.30	100.00	3
	0.4mm*5mm*3m		0.40	5.00	3
	0.4mm*10mm*3m		0.40	10.00	3
	0.4mm*15mm*3m		0.40	15.00	3
	0.4mm*20mm*3m		0.40	20.00	3
	0.4mm*25mm*3m		0.40	25.00	3
	0.4mm*30mm*3m		0.40	30.00	3
	0.4mm*35mm*3m		0.40	35.00	3
	0.4mm*40mm*3m		0.40	40.00	3
	0.4mm*45mm*3m		0.40	45.00	3
	0.4mm*50mm*3m		0.40	50.00	3

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass foil	0.4mm*55mm*3m	Brass	0.40	55.00	3
	0.4mm*60mm*3m		0.40	60.00	3
	0.4mm*70mm*3m		0.40	70.00	3
	0.4mm*80mm*3m		0.40	80.00	3
	0.4mm*90mm*3m		0.40	90.00	3
	0.4mm*100mm*3m		0.40	100.00	3
	0.5mm*5mm*3m		0.50	5.00	3
	0.5mm*10mm*3m		0.50	10.00	3
	0.5mm*15mm*3m		0.50	15.00	3
	0.5mm*20mm*3m		0.50	20.00	3
	0.5mm*25mm*3m		0.50	25.00	3
	0.5mm*30mm*3m		0.50	30.00	3
	0.5mm*35mm*3m		0.50	35.00	3
	0.5mm*40mm*3m		0.50	40.00	3
	0.5mm*45mm*3m		0.50	45.00	3
	0.5mm*50mm*3m		0.50	50.00	3
	0.5mm*55mm*3m		0.50	55.00	3
	0.5mm*60mm*3m		0.50	60.00	3
	0.5mm*70mm*3m		0.50	70.00	3
	0.5mm*80mm*3m		0.50	80.00	3
	0.5mm*90mm*3m		0.50	90.00	3
	0.5mm*100mm*3m		0.50	100.00	3
	0.6mm*10mm*3m		0.60	10.00	3
	0.6mm*15mm*3m		0.60	15.00	3
	0.6mm*20mm*3m		0.60	20.00	3
	0.6mm*25mm*3m		0.60	25.00	3
	0.6mm*30mm*3m		0.60	30.00	3
	0.6mm*40mm*3m		0.60	40.00	3
	0.6mm*50mm*3m		0.60	50.00	3
	0.6mm*100mm*3m		0.60	100.00	3
	1mm*50mm*3m		1.00	50.00	3
	1mm*100mm*3m		1.00	100.00	3
	0.05mm*10mm*5m		0.05	10.00	5
	0.05mm*15mm*5m		0.05	15.00	5
	0.05mm*20mm*5m		0.05	20.00	5
	0.05mm*25mm*5m		0.05	25.00	5
	0.05mm*30mm*5m		0.05	30.00	5
	0.05mm*35mm*5m		0.05	35.00	5
	0.05mm*40mm*5m		0.05	40.00	5
	0.05mm*45mm*5m		0.05	45.00	5
	0.05mm*50mm*5m		0.05	50.00	5
	0.05mm*60mm*5m		0.05	60.00	5
	0.05mm*80mm*5m		0.05	80.00	5
	0.05mm*100mm*5m		0.05	100.00	5
	0.1mm*5mm*5m		0.10	5.00	5
	0.1mm*10mm*5m		0.10	10.00	5
	0.1mm*15mm*5m		0.10	15.00	5
	0.1mm*20mm*5m		0.10	20.00	5
	0.1mm*25mm*5m		0.10	25.00	5
	0.1mm*30mm*5m		0.10	30.00	5
	0.1mm*35mm*5m		0.10	35.00	5
	0.1mm*40mm*5m		0.10	40.00	5
	0.1mm*45mm*5m		0.10	45.00	5
	0.1mm*50mm*5m		0.10	50.00	5

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass foil	0.1mm*55mm*5m	Brass	0.10	55.00	5
	0.1mm*60mm*5m		0.10	60.00	5
	0.1mm*70mm*5m		0.10	70.00	5
	0.1mm*80mm*5m		0.10	80.00	5
	0.1mm*90mm*5m		0.10	90.00	5
	0.1mm*100mm*5m		0.10	100.00	5
	0.15mm*10mm*5m		0.15	10.00	5
	0.15mm*15mm*5m		0.15	15.00	5
	0.15mm*20mm*5m		0.15	20.00	5
	0.15mm*25mm*5m		0.15	25.00	5
	0.15mm*30mm*5m		0.15	30.00	5
	0.15mm*50mm*5m		0.15	50.00	5
	0.15mm*100mm*5m		0.15	100.00	5
	0.2mm*5mm*5m		0.20	5.00	5
	0.2mm*10mm*5m		0.20	10.00	5
	0.2mm*15mm*5m		0.20	15.00	5
	0.2mm*20mm*5m		0.20	20.00	5
	0.2mm*25mm*5m		0.20	25.00	5
	0.2mm*30mm*5m		0.20	30.00	5
	0.2mm*35mm*5m		0.20	35.00	5
	0.2mm*40mm*5m		0.20	40.00	5
	0.2mm*45mm*5m		0.20	45.00	5
	0.2mm*50mm*5m		0.20	50.00	5
	0.2mm*55mm*5m		0.20	55.00	5
	0.2mm*60mm*5m		0.20	60.00	5
	0.2mm*70mm*5m		0.20	70.00	5
	0.2mm*80mm*5m		0.20	80.00	5
	0.2mm*90mm*5m		0.20	90.00	5
	0.2mm*100mm*5m		0.20	100.00	5
	0.3mm*5mm*5m		0.30	5.00	5
	0.3mm*10mm*5m		0.30	10.00	5
	0.3mm*15mm*5m		0.30	15.00	5
	0.3mm*20mm*5m		0.30	20.00	5
	0.3mm*25mm*5m		0.30	25.00	5
	0.3mm*30mm*5m		0.30	30.00	5
	0.3mm*35mm*5m		0.30	35.00	5
	0.3mm*40mm*5m		0.30	40.00	5
	0.3mm*45mm*5m		0.30	45.00	5
	0.3mm*50mm*5m		0.30	50.00	5
	0.3mm*60mm*5m		0.30	60.00	5
	0.3mm*80mm*5m		0.30	80.00	5
	0.3mm*90mm*5m		0.30	90.00	5
	0.3mm*100mm*5m		0.30	100.00	5
	0.4mm*5mm*5m		0.40	5.00	5
	0.4mm*10mm*5m		0.40	10.00	5
	0.4mm*15mm*5m		0.40	15.00	5
	0.4mm*20mm*5m		0.40	20.00	5
	0.4mm*25mm*5m		0.40	25.00	5
	0.4mm*30mm*5m		0.40	30.00	5
	0.4mm*35mm*5m		0.40	35.00	5
	0.4mm*40mm*5m		0.40	40.00	5
	0.4mm*45mm*5m		0.40	45.00	5
	0.4mm*50mm*5m		0.40	50.00	5
	0.4mm*55mm*5m		0.40	55.00	5

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Brass foil	0.4mm*60mm*5m	Brass	0.40	60.00	5
	0.4mm*70mm*5m		0.40	70.00	5
	0.4mm*80mm*5m		0.40	80.00	5
	0.4mm*90mm*5m		0.40	90.00	5
	0.4mm*100mm*5m		0.40	100.00	5
	0.5mm*5mm*5m		0.50	5.00	5
	0.5mm*10mm*5m		0.50	10.00	5
	0.5mm*15mm*5m		0.50	15.00	5
	0.5mm*20mm*5m		0.50	20.00	5
	0.5mm*25mm*5m		0.50	25.00	5
	0.5mm*30mm*5m		0.50	30.00	5
	0.5mm*35mm*5m		0.50	35.00	5
	0.5mm*40mm*5m		0.50	40.00	5
	0.5mm*45mm*5m		0.50	45.00	5
	0.5mm*50mm*5m		0.50	50.00	5
	0.5mm*55mm*5m		0.50	55.00	5
	0.5mm*60mm*5m		0.50	60.00	5
	0.5mm*70mm*5m		0.50	70.00	5
	0.5mm*80mm*5m		0.50	80.00	5
	0.5mm*90mm*5m		0.50	90.00	5
	0.5mm*100mm*5m		0.50	100.00	5
	0.6mm*10mm*5m		0.60	10.00	5
	0.6mm*15mm*5m		0.60	15.00	5
	0.6mm*20mm*5m		0.60	20.00	5
	0.6mm*25mm*5m		0.60	25.00	5
	0.6mm*30mm*5m		0.60	30.00	5
	0.6mm*40mm*5m		0.60	40.00	5
	0.6mm*50mm*5m		0.60	50.00	5
	0.6mm*100mm*5m		0.60	100.00	5
	1mm*50mm*5m		1.00	50.00	5
	1mm*100mm*5m		1.00	100.00	5



1-METER CONNECTING BUSBAR

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Radius (mm)	Diameter (mm)	Length(m)
1-meter connecting busbar	6mm * 8mm-1m: M4 installation hole spacing 42mm	Brass	6	8	1
	8mm * 10mm-1m: M4 installation hole spacing 44.4mm		8	10	1
	8mm * 12mm-1m: M4 installation hole spacing 50mm		8	12	1
	9mm * 14mm-1m: M5 installation hole spacing 63mm		9	14	1

Name	Specification	Material	Radius (mm)	Diameter (mm)	Length(m)
1-meter connecting busbar	15mm * 3mm-1m, hole M5, spacing 18mm	Brass-plated nickel	15	3	1
	20mm * 3mm-1m, hole M6, spacing 18mm		20	3	1
	25mm * 3mm-1m, hole M8, spacing 25mm		25	3	1
	30mm * 3mm-1m, hole M8, spacing 25mm		30	3	1
	40mm * 4mm-1m, hole M8, spacing 25mm		40	4	1
	15mm*3mm-1m, hole M5, spacing 18mm	Purple copper / Purple copper tin-plated	15	3	1
	15mm*4mm-1m, hole M5, spacing 18mm		15	4	1
	15mm*5mm-1m, hole M5, spacing 18mm		15	5	1
	20mm*3mm-1m, hole M6, spacing 18mm		20	3	1
	20mm*4mm-1m, hole M6, spacing 18mm		20	4	1
	20mm*5mm-1m, hole M8, spacing 18mm		20	5	1
	25mm*3mm-1m, hole M8, spacing 25mm		25	3	1
	25mm*4mm-1m, hole M8, spacing 25mm		25	4	1
	25mm*5mm-1m, hole M8, spacing 25mm		25	5	1
	30mm*3mm-1m, hole M8, spacing 25mm		30	3	1
	30mm*4mm-1m, hole M8, spacing 25mm		30	4	1
	40mm*4mm-1m, hole M8, spacing 25mm		40	4	1



NEUTRAL CONDUCTOR BUSBAR

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Neutral conductor busbar	15*3*120	Purple copper tin-plated	15	3	0.12
	15*4*120		15	4	0.12
	15*5*120		15	5	0.12
	20*3*120		20	3	0.12
	20*4*120		20	4	0.12
	20*5*120		20	5	0.12
	25*3*120		25	3	0.12
	25*4*120		25	4	0.12
	25*5*120		25	5	0.12
	30*3*120		30	3	0.12
	30*4*120		30	4	0.12
	30*5*120		30	5	0.12
	40*3*120		40	3	0.12
	40*4*120		40	4	0.12
	40*5*120		40	5	0.12
	15*3*170		15	3	0.17
	15*4*170		15	4	0.17
	15*5*170		15	5	0.17
	20*3*170		20	3	0.17

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Neutral conductor busbar	20*4*170	Purple copper tin-plated	20	4	0.17
	20*5*170		20	5	0.17
	25*3*170		25	3	0.17
	25*4*170		25	4	0.17
	25*5*170		25	5	0.17
	30*3*170		30	3	0.17
	30*4*170		30	4	0.17
	30*5*170		30	5	0.17
	40*3*170		40	3	0.17
	40*4*170		40	4	0.17
	40*5*170		40	5	0.17
	15*3*220		15	3	0.22
	15*4*220		15	4	0.22
	15*5*220		15	5	0.22
	20*3*220		20	3	0.22
	20*4*220		20	4	0.22
	20*5*220		20	5	0.22
	25*3*220		25	3	0.22
	25*4*220		25	4	0.22
	25*5*220		25	5	0.22
	30*3*220		30	3	0.22
	30*4*220		30	4	0.22
	30*5*220		30	5	0.22
	40*3*220		40	3	0.22
	40*4*220		40	4	0.22
	40*5*220		40	5	0.22
	15*4*300		15	4	0.3
	15*5*300		15	5	0.3
	20*3*300		20	3	0.3
	20*4*300		20	4	0.3
	20*5*300		20	5	0.3
	25*3*300		25	3	0.3
	25*4*300		25	4	0.3
	25*5*300		25	5	0.3
	30*3*300		30	3	0.3
	30*4*300		30	4	0.3
	30*5*300		30	5	0.3
	40*3*300		40	3	0.3
	40*4*300		40	4	0.3
	40*5*300		40	5	0.3




GROUNDING CONDUCTOR BUSBAR

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Grounding conductor busbar	15*3*120	Purple copper tin-plated	15	3	0.12
	15*4*120		15	4	0.12
	15*5*120		15	5	0.12
	20*3*120		20	3	0.12
	20*4*120		20	4	0.12
	20*5*120		20	5	0.12
	25*3*120		25	3	0.12
	25*4*120		25	4	0.12
	25*5*120		25	5	0.12
	30*3*120		30	3	0.12
	30*4*120		30	4	0.12
	30*5*120		30	5	0.12
	40*3*120		40	3	0.12
	40*4*120		40	4	0.12
	40*5*120		40	5	0.12
	15*3*170		15	0	0.17
	15*4*170		15	4	0.17
	15*5*170		15	5	0.17
	20*3*170		20	3	0.17
	20*4*170		20	4	0.17
	20*5*170		20	5	0.17
	25*3*170		25	3	0.17
	25*4*170		25	4	0.17
	25*5*170		25	5	0.17
	30*3*170		30	3	0.17
	30*4*170		30	4	0.17
	30*5*170		30	5	0.17
	40*3*170		40	3	0.17
	40*4*170		40	4	0.17
	40*5*170		40	5	0.17
	15*3*220		15	3	0.22
	15*4*220		15	4	0.22
	15*5*220		15	5	0.22
	20*3*220		20	3	0.22
	20*4*220		20	4	0.22
	20*5*220		20	5	0.22
	25*3*220		25	3	0.22
	25*4*220		25	4	0.22
	25*5*220		25	5	0.22
	30*3*220		30	3	0.22
	30*4*220		30	4	0.22
	30*5*220		30	5	0.22
	40*3*220		40	3	0.22
	40*4*220		40	4	0.22
	40*5*220		40	5	0.22



GROUNDING
CONDUCTOR BUSBAR

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Grounding conductor busbar	4*40*300 - single row	Iron busbar zinc-plated	4	40	0.3
	4*40*300-double row		4	40	0.3
	4*100*300-double row		4	100	0.3
	4*100*400-double row		4	100	0.4
	4*100*500-double row		4	100	0.5
	5*100*300-double row		5	100	0.3
	5*100*400-double row		5	100	0.4
	5*100*500-double row		5	100	0.5
	4*100*300-triple row		4	100	0.3
	4*100*400-triple row		4	100	0.4
	4*100*500-triple row		4	100	0.5
	5*100*300-triple row		5	100	0.3
	5*100*400-triple row		5	100	0.4
	5*100*500-triple row		5	100	0.5
	4*40*300 -single row	Iron busbar copper-plated	4	40	0.3
	4*40*300-double row		4	40	0.3
	4*100*300-double row		4	100	0.3
	4*100*400-double row		4	100	0.4
	4*100*500-double row		4	100	0.5
	5*100*300-double row		5	100	0.3
	5*100*400-double row		5	100	0.4
	5*100*500-double row		5	100	0.5
	4*50*250-double row		4	50	0.25
	5*50*250-double row		5	50	0.25
	4*50*250-double row		4	50	0.25
	5*50*250-double row		5	50	0.25



PURPLE
COPPER BLOCK

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper block	5mm*5mm*100mm	Purple copper	5.00	5.00	0.10
	5mm*6mm*100mm		5.00	6.00	0.10
	5mm*10mm*100mm		5.00	10.00	0.10
	5mm*15mm*100mm		5.00	15.00	0.10
	5mm*20mm*100mm		5.00	20.00	0.10
	10mm*10mm*100mm		10.00	10.00	0.10
	10mm*15mm*100mm		10.00	15.00	0.10
	10mm*20mm*100mm		10.00	20.00	0.10
	10mm*25mm*100mm		10.00	25.00	0.10
	10mm*30mm*100mm		10.00	30.00	0.10
	10mm*40mm*100mm		10.00	40.00	0.10
	10mm*50mm*100mm		10.00	50.00	0.10
	10mm*60mm*100mm		10.00	60.00	0.10
	10mm*80mm*100mm		10.00	80.00	0.10
	10mm*100mm*100mm		10.00	100.00	0.10
	12mm*30mm*100mm		12.00	30.00	0.10
	12mm*40mm*100mm		12.00	40.00	0.10
	12mm*50mm*100mm		12.00	50.00	0.10
	12mm*60mm*100mm		12.00	60.00	0.10
	12mm*80mm*100mm		12.00	80.00	0.10
	12mm*100mm*100mm		12.00	100.00	0.10
	15mm*15mm*100mm		15.00	15.00	0.10
	15mm*20mm*100mm		15.00	20.00	0.10
	15mm*25mm*100mm		15.00	25.00	0.10
	15mm*30mm*100mm		15.00	30.00	0.10
	15mm*40mm*100mm		15.00	40.00	0.10
	15mm*50mm*100mm		15.00	50.00	0.10
	15mm*60mm*100mm		15.00	60.00	0.10
	15mm*80mm*100mm		15.00	80.00	0.10
	15mm*100mm*100mm		15.00	100.00	0.10
	15mm*120mm*100mm		15.00	120.00	0.10
	20mm*20mm*100mm		20.00	20.00	0.10
	20mm*25mm*100mm		20.00	25.00	0.10
	20mm*30mm*100mm		20.00	30.00	0.10
	20mm*40mm*100mm		20.00	40.00	0.10
	20mm*50mm*100mm		20.00	50.00	0.10
	20mm*60mm*100mm		20.00	60.00	0.10
	20mm*80mm*100mm		20.00	80.00	0.10
	20mm*100mm*100mm		20.00	100.00	0.10

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper block	20mm*120mm*100mm	Purple copper	20.00	120.00	0.10
	25mm*25mm*100mm		25.00	25.00	0.10
	25mm*30mm*100mm		25.00	30.00	0.10
	25mm*40mm*100mm		25.00	40.00	0.10
	25mm*50mm*100mm		25.00	50.00	0.10
	25mm*60mm*100mm		25.00	60.00	0.10
	25mm*70mm*100mm		25.00	70.00	0.10
	25mm*80mm*100mm		25.00	80.00	0.10
	30mm*30mm*100mm		30.00	30.00	0.10
	30mm*35mm*100mm		30.00	35.00	0.10
	30mm*40mm*100mm		30.00	40.00	0.10
	30mm*50mm*100mm		30.00	50.00	0.10
	30mm*60mm*100mm		30.00	60.00	0.10
	30mm*70mm*100mm		30.00	70.00	0.10
	30mm*80mm*100mm		30.00	80.00	0.10
	30mm*100mm*100mm		30.00	100.00	0.10
	35mm*35mm*100mm		35.00	35.00	0.10
	35mm*40mm*100mm		35.00	40.00	0.10
	35mm*50mm*100mm		35.00	50.00	0.10
	35mm*60mm*100mm		35.00	60.00	0.10
	35mm*80mm*100mm		35.00	80.00	0.10
	40mm*40mm*100mm		40.00	40.00	0.10
	40mm*45mm*100mm		40.00	45.00	0.10
	40mm*50mm*100mm		40.00	50.00	0.10
	40mm*55mm*100mm		40.00	55.00	0.10
	40mm*60mm*100mm		40.00	60.00	0.10
	45mm*45mm*100mm		45.00	45.00	0.10
	45mm*50mm*100mm		45.00	50.00	0.10
	45mm*60mm*100mm		45.00	60.00	0.10
	50mm*50mm*100mm		50.00	50.00	0.10
	55mm*55mm*100mm		55.00	55.00	0.10
	60mm*60mm*100mm		60.00	60.00	0.10
	5mm*5mm*150mm		5.00	5.00	0.15
	5mm*6mm*150mm		5.00	6.00	0.15
	5mm*10mm*150mm		5.00	10.00	0.15
	5mm*15mm*150mm		5.00	15.00	0.15
	5mm*20mm*150mm		5.00	20.00	0.15
	10mm*10mm*150mm		10.00	10.00	0.15
	10mm*15mm*150mm		10.00	15.00	0.15
	10mm*20mm*150mm		10.00	20.00	0.15
	10mm*25mm*150mm		10.00	25.00	0.15
	10mm*30mm*150mm		10.00	30.00	0.15
	10mm*40mm*150mm		10.00	40.00	0.15
	10mm*50mm*150mm		10.00	50.00	0.15
	10mm*60mm*150mm		10.00	60.00	0.15
	10mm*80mm*150mm		10.00	80.00	0.15
	10mm*100mm*150mm		10.00	100.00	0.15
	12mm*30mm*150mm		12.00	30.00	0.15
	12mm*40mm*150mm		12.00	40.00	0.15
	12mm*50mm*150mm		12.00	50.00	0.15
	12mm*60mm*150mm		12.00	60.00	0.15
	12mm*80mm*150mm		12.00	80.00	0.15
	12mm*100mm*150mm		12.00	100.00	0.15
	15mm*15mm*150mm		15.00	15.00	0.15

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
Purple copper block	15mm*20mm*150mm	Purple copper	15.00	20.00	0.15
	15mm*25mm*150mm		15.00	25.00	0.15
	15mm*30mm*150mm		15.00	30.00	0.15
	15mm*40mm*150mm		15.00	40.00	0.15
	15mm*50mm*150mm		15.00	50.00	0.15
	15mm*60mm*150mm		15.00	60.00	0.15
	15mm*80mm*150mm		15.00	80.00	0.15
	15mm*100mm*150mm		15.00	100.00	0.15
	15mm*120mm*150mm		15.00	120.00	0.15
	20mm*20mm*150mm		20.00	20.00	0.15
	20mm*25mm*150mm		20.00	25.00	0.15
	20mm*30mm*150mm		20.00	30.00	0.15
	20mm*40mm*150mm		20.00	40.00	0.15
	20mm*50mm*150mm		20.00	50.00	0.15
	20mm*60mm*150mm		20.00	60.00	0.15
	20mm*80mm*150mm		20.00	80.00	0.15
	20mm*100mm*150mm		20.00	100.00	0.15
	20mm*120mm*150mm		20.00	120.00	0.15
	25mm*25mm*150mm		25.00	25.00	0.15
	25mm*30mm*150mm		25.00	30.00	0.15
	25mm*40mm*150mm		25.00	40.00	0.15
	25mm*50mm*150mm		25.00	50.00	0.15
	25mm*60mm*150mm		25.00	60.00	0.15
	25mm*70mm*150mm		25.00	70.00	0.15
	25mm*80mm*150mm		25.00	80.00	0.15
	30mm*30mm*150mm		30.00	30.00	0.15
	30mm*35mm*150mm		30.00	35.00	0.15
	30mm*40mm*150mm		30.00	40.00	0.15
	30mm*50mm*150mm		30.00	50.00	0.15
	30mm*60mm*150mm		30.00	60.00	0.15
	30mm*70mm*150mm		30.00	70.00	0.15
	30mm*80mm*150mm		30.00	80.00	0.15
	30mm*100mm*150mm		30.00	100.00	0.15
	35mm*35mm*150mm		35.00	35.00	0.15
	35mm*40mm*150mm		35.00	40.00	0.15
	35mm*50mm*150mm		35.00	50.00	0.15
	35mm*60mm*150mm		35.00	60.00	0.15
	35mm*80mm*150mm		35.00	80.00	0.15
	40mm*40mm*150mm		40.00	40.00	0.15
	40mm*45mm*150mm		40.00	45.00	0.15
	40mm*50mm*150mm		40.00	50.00	0.15
	40mm*55mm*150mm		40.00	55.00	0.15
	40mm*60mm*150mm		40.00	60.00	0.15
	50mm*50mm*150mm		50.00	50.00	0.15
	55mm*55mm*150mm		55.00	55.00	0.15
	60mm*60mm*150mm		60.00	60.00	0.15




GROUNDING
COPPER BUSBAR

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
19-inch grounding copper busbar	15*3*500 spacing 465mm	Purple copper	15.00	3.00	0.50
20-inch grounding copper busbar	20*3*500 spacing 465mm		20.00	3.00	0.50
21-inch grounding copper busbar	20*4*500 spacing 465mm		20.00	4.00	0.50
22-inch grounding copper busbar	20*5*500 spacing 465mm		20.00	5.00	0.50
23-inch grounding copper busbar	25*3*500 spacing 465mm		25.00	3.00	0.50
24-inch grounding copper busbar	25*4*500 spacing 465mm		25.00	4.00	0.50
25-inch grounding copper busbar	25*5*500 spacing 465mm		25.00	5.00	0.50
26-inch grounding copper busbar	30*3*500 spacing 465mm		30.00	3.00	0.50
27-inch grounding copper busbar	30*4*500 spacing 465mm	Purple copper tin-plated	30.00	4.00	0.50
28-inch grounding copper busbar	30*5*500 spacing 465mm		30.00	5.00	0.50
29-inch grounding copper busbar	15*3*500 spacing 465mm		15.00	3.00	0.50
30-inch grounding copper busbar	20*3*500 spacing 465mm		20.00	3.00	0.50
31-inch grounding copper busbar	20*4*500 spacing 465mm		20.00	4.00	0.50
32-inch grounding copper busbar	20*5*500 spacing 465mm		20.00	5.00	0.50
33-inch grounding copper busbar	25*3*500 spacing 465mm		25.00	3.00	0.50
34-inch grounding copper busbar	25*4*500 spacing 465mm		25.00	4.00	0.50
35-inch grounding copper busbar	25*5*500 spacing 465mm	Brass	25.00	5.00	0.50
36-inch grounding copper busbar	30*3*500 spacing 465mm		30.00	3.00	0.50
37-inch grounding copper busbar	30*4*500 spacing 465mm		30.00	4.00	0.50
38-inch grounding copper busbar	30*5*500 spacing 465mm		30.00	5.00	0.50
39-inch grounding copper busbar	15*3*500 spacing 465mm		15.00	3.00	0.50
40-inch grounding copper busbar	20*3*500 spacing 465mm		20.00	3.00	0.50
41-inch grounding copper busbar	20*4*500 spacing 465mm		20.00	4.00	0.50
42-inch grounding copper busbar	20*5*500 spacing 465mm		20.00	5.00	0.50
43-inch grounding copper busbar	25*3*500 spacing 465mm	Brass-plated nickel	25.00	3.00	0.50
44-inch grounding copper busbar	25*4*500 spacing 465mm		25.00	4.00	0.50
45-inch grounding copper busbar	25*5*500 spacing 465mm		25.00	5.00	0.50
46-inch grounding copper busbar	30*3*500 spacing 465mm		30.00	3.00	0.50
47-inch grounding copper busbar	30*4*500 spacing 465mm		30.00	4.00	0.50
48-inch grounding copper busbar	30*5*500 spacing 465mm		30.00	5.00	0.50
49-inch grounding copper busbar	15*3*500 spacing 465mm		15.00	3.00	0.50
50-inch grounding copper busbar	20*3*500 spacing 465mm		20.00	3.00	0.50
51-inch grounding copper busbar	20*4*500 spacing 465mm		20.00	4.00	0.50
52-inch grounding copper busbar	20*5*500 spacing 465mm		20.00	5.00	0.50
53-inch grounding copper busbar	25*3*500 spacing 465mm		25.00	3.00	0.50
54-inch grounding copper busbar	25*4*500 spacing 465mm		25.00	4.00	0.50
55-inch grounding copper busbar	25*5*500 spacing 465mm		25.00	5.00	0.50
56-inch grounding copper busbar	30*3*500 spacing 465mm		30.00	3.00	0.50
57-inch grounding copper busbar	30*4*500 spacing 465mm		30.00	4.00	0.50
58-inch grounding copper busbar	30*5*500 spacing 465mm		30.00	5.00	0.50



GROUNDING
COPPER BUSBAR

Features

- Extremely strong electrical conductivity
- Highly efficient heat dissipation and cooling
- Excellent machinability
- Corrosion-resistant, durable and anti-aging
- Safe insulation and compatibility

Name	Specification	Material	Width (mm)	Thickness (mm)	Length(m)
2m cabinet grounding copper bar	15*3*2m holes M5	Brass-plated nickel	15.00	3.00	2.00
3m cabinet grounding copper bar	20*3*2m holes M5		20.00	3.00	2.00
4m cabinet grounding copper busbar	25*3*2m holes M5		25.00	3.00	2.00
5m cabinet grounding copper busbar	30*3*2m holes M5		30.00	3.00	2.00
6m cabinet grounding copper busbar	40*3*2m holes M5		40.00	3.00	2.00
7m cabinet grounding copper busbar	15*3*2m holes M5		15.00	3.00	2.00
8m cabinet grounding copper busbar	20*3*2m holes M5		20.00	3.00	2.00
9m cabinet grounding copper busbar	25*3*2m holes M5		25.00	3.00	2.00
10m cabinet grounding copper busbar	30*3*2m holes M5	Purple copper	30.00	3.00	2.00
11m cabinet grounding copper busbar	40*3*2m holes M5		40.00	3.00	2.00
12m cabinet grounding copper busbar	15*3*2m holes M5		15.00	3.00	2.00
13m cabinet grounding copper busbar	20*3*2m holes M5		20.00	3.00	2.00
14m cabinet grounding copper busbar	25*3*2m holes M5		25.00	3.00	2.00
15mr cabinet grounding copper busbar	30*3*2m holes M5		30.00	3.00	2.00
16m cabinet grounding copper busbar	40*3*2m holes M5		40.00	3.00	2.00
17m cabinet grounding copper busbar	15*3*2m holes M5		15.00	3.00	2.00
18m cabinet grounding copper busbar	20*3*2m holes M5		20.00	3.00	2.00
19m cabinet grounding copper busbar	25*3*2m holes M5		25.00	3.00	2.00
20m cabinet grounding copper busbar	30*3*2m holes M5		30.00	3.00	2.00
21m cabinet grounding copper busbar	40*3*2m holes M5		40.00	3.00	2.00